Surface Science 263 (1992) 686–701
North-Holland



Author index

Abstreiter, G., see Hirler 263 (1992) 536
Adams, J.A., see Taylor 263 (1992) 247
Adams, P.W., The conductivity and mobility of 2D nondegenerate electrons in the strong localization regime 263 (1992) 663
Ager, C.D., see Wilkinson 263 (1992) 475
Ahlers, F.J., see Hein 263 (1992) 293
Ahmed, H., see Matthews 263 (1992) 141
Aihara, K., see Yamada 263 (1992) 265
Andersson, T.G., see Butov 263 (1992) 457
Andrei, E.Y., see Williams 263 (1992) 23
Aoki, H., The quantum Hall effect in anomalous band structures 263 (1992) 137
Aoyagi, Y., see Ishibashi 263 (1992) 378
Aoyagi, Y., see Ochiai 263 (1992) 388

Baldwin, K.W., see Spector 263 (1992) 240
Basmaji, P., A.C. Notari, B. Schrappe, M.H. Degani, L. Ioriatti and O. Hipólito, Tunneling spectroscopy and miniband structure of selenium delta-doped GaAs 263 (1992) 231
Bass, S.J., see Whittaker 263 (1992) 549
Bauer, G.E.W., Magnetic-field-induced excitonic instability in the 2D electron gas 263 (1992) 482
Beaumont, S.P., see Geim 263 (1992) 298
Beaumont, S.P., see Dellow 263 (1992) 438
Beaumont, S.P., see Leitch 263 (1992) 622
Bechstedt, F. and H. Gerecke, Resonant decay of pair excitations of a 2D hole gas into optical phonons 263 (1992) 585
Beenakker, C.W.J., see Fontein 263 (1992) 91
Beenakker, C.W.J., see Molenkamp 263 (1992) 288
Bergman, P., see Monemar 263 (1992) 556
Berroir, J.M., see Deleporte 263 (1992) 570
Besson, M., E. Gornik, G. Böhm and G. Weimann, Screening effects in the cyclotron resonance of 2D electrons in GaAs/AlGaAs heterostructures and single quantum wells 263 (1992) 650
Beton, P.H., see Geim 263 (1992) 298
Beton, P.H., see Dellow 263 (1992) 438
Bicknell-Tassius, R.N., see Yakovlev 263 (1992) 485
Bin, Y., see Pasquier 263 (1992) 419
Bird, J.P., see Ishibashi 263 (1992) 378
Bird, J.P., see Ochiai 263 (1992) 388
Blanc, N., see Guéret 263 (1992) 212
Bliek, L., see Hein 263 (1992) 293
Blom, F.A.P., see Fontein 263 (1992) 91
Böhm, G., see Smoliner 263 (1992) 207
Böhm, G., see Zrenner 263 (1992) 496
Böhm, G., see Hirler 263 (1992) 536

Elsevier Science Publishers B.V. and Yamada Science Foundation

Böhm, G., see Besson 263 (1992) 650
Brozak, G., see Gammon 263 (1992) 471
Brugmans, M.J.P., see Molenkamp 263 (1992) 288
Butcher, P.N., see Fromhold 263 (1992) 183
Butov, L.V., V.D. Kulakovskii, T.G. Andersson, A. Forchel and D. Grützmacher, Many-body effects in dense electron–hole plasma in InGaAs QWs with simple and complex valence band 263 (1992) 457

Cage, M.E., see Van Degrift 263 (1992) 116
Calleja, J.M., A.R. Goñi, B.S. Dennis, J.S. Weiner, A. Pinczuk, S. Schmitt-Rink, L.N. Pfeiffer, K.W. West, J.F. Müller and A.E. Ruckenstein, Optical singularities of the one-dimensional electron gas in semiconductor quantum wires 263 (1992) 346
Campbell, J.W., see D'Iorio 263 (1992) 49
Caro, J., see De Graaf 263 (1992) 409
Chamberlain, J.M., see Chitta 263 (1992) 227
Chang, L.L., see Haug 263 (1992) 374
Chang, L.L., see Deleporte 263 (1992) 570
Chang, L.L., see Fritze 263 (1992) 633
Chaplik, A.V. and L. Ioriatti, Spectrum of collective modes and possible symmetry breaking transitions in arrays of quantum dots 263 (1992) 354
Chen, W., see Fritze 263 (1992) 633
Chevy, A., see Peeters 263 (1992) 654
Chitta, V.A., R.E.M. de Bekker, J.C. Maan, S.J. Hawksworth, J.M. Chamberlain, M. Henini and G. Hill, Far infrared response of double barrier resonant tunneling structures 263 (1992) 227
Clark, R.G., see Turberfield 263 (1992) 1
Clark, R.G., see Williams 263 (1992) 23
Clark, R.G., see Haynes 263 (1992) 614
Clérot, F., see Deveaud 263 (1992) 491
Cohen, E., see Garini 263 (1992) 561
Colas, E., see Helm 263 (1992) 518
Coleridge, P.T., see Taylor 263 (1992) 247
Côté, R. and A.H. MacDonald, Frequency-dependent conductivity of a pinned Wigner crystal 263 (1992) 187
Cui, H.L., see Lei 263 (1992) 172
Cury, L., see Eaves 263 (1992) 199

Dahl, M., D. Heiman, A. Pinczuk, B.B. Goldberg, L.N. Pfeiffer and K.W. West, Time-resolved optical recombination in the quantum Hall regime 263 (1992) 638
Dalton, K.S.H., see Lakrimi 263 (1992) 575
Das Sarma, S., see Fertig 263 (1992) 60
Das Sarma, S., see He 263 (1992) 87
Davies, A.G., R. Newbury, M. Pepper, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, The fractional quantum Hall effect in high mobility two-dimensional hole gases 263 (1992) 81
Davies, M., see Taylor 263 (1992) 247
Davis, J.L., see Yang 263 (1992) 595
De Aguiar, F.M., D.A. Wharam, T. Heinzel, A. Lorke and J.P. Kotthaus, Gate-controlled conductance oscillations in small one-dimensional electron cavities 263 (1992) 428
De Bekker, R.E.M., see Chitta 263 (1992) 227
De Graaf, C., J.W.G. Wildöer, J. Caro, S. Radelaar and K. Heyers, Variable range hopping via a small number of localized states in nanometer scale MOSFETs 263 (1992) 409

Degani, M.H. and J.P. Leburton, A transport model for a two-dimensional lateral-surface-superlattice 263 (1992) 179
Degani, M.H., see Basmaji 263 (1992) 231
Delalande, C., see Deleporte 263 (1992) 570
Deleporte, E., G. Peter, J.M. Berroir, C. Delalande, J.M. Hong and L.L. Chang, Temperature dependence of the magneto-optical properties of a CdTe/Cd_{1-x} Mn_xTe multiquantum well structure 263 (1992) 570
Dellow, M.W., C.J.G.M. Langerak, P.H. Beton, T.J. Foster, P.C. Main, L. Eaves, M. Henini, S.P. Beaumont and C.D.W. Wilkinson, Single electron tunnelling through a donor state in a gated resonant tunnelling device 263 (1992) 438
Demeester, P., see Leitch 263 (1992) 622
Demmerle, W., see Smoliner 263 (1992) 207
Dennis, B.S., see Calleja 263 (1992) 346
DeRosa, F., see Helm 263 (1992) 518
Deruelle, T., see Ensslin 263 (1992) 319
Deveaud, B., F. Clérot, N. Roy, B. Sermage and D.S. Katzer, Enhanced radiative recombination of free excitons in GaAs quantum wells 263 (1992) 491
Deville, G., see Williams 263 (1992) 23
Devreese, J.T., see Peeters 263 (1992) 654
Diessel, E., see Müller 263 (1992) 280
Dietsche, W., see Klass 263 (1992) 97
D'Iorio, M., J.W. Campbell, V.M. Pudalov and S.G. Semenchinsky, Transport properties of a 2D electron solid in Si-MOSFETs 263 (1992) 49
Dmitriev, A.P., S.A. Emelyanov, S.V. Ivanov, P.S. Kop'ev, Ya.V. Terent'ev and I.D. Yaroshetsky, Photon-drag current in 2DEG in the vicinity of cyclotron resonance and its first subharmonic 263 (1992) 659
Dransfeld, K., see Lehndorff 263 (1992) 674
Drew, H.D., see Karraï 263 (1992) 451
Dzyubenko, A.B. and Y.E. Lozovik, Effect of quenched disorder on a two-dimensional classical Wigner crystal 263 (1992) 680

Eaves, L., R.K. Hayden, M.L. Leadbeater, D.K. Maude, E.C. Valadares, M. Henini, F.W. Sheard, O.H. Hughes, J.C. Portal and L. Cury, Resonant magnetotunneling spectroscopy: a direct probe of the complicated dispersion curves and negative mass behaviour of holes confined in a quantum well 263 (1992) 199
Eaves, L., see Geim 263 (1992) 298
Eaves, L., see Dellow 263 (1992) 438
Ehrenfreund, E., see Garini 263 (1992) 561
Eisenstein, J.P., see Gramila 263 (1992) 446
Ekenberg, U. and D. Richards, Utilization of a piezoelectric field in a one-sided-doped quantum well 263 (1992) 580
Ellis, M.K., see Hayne 263 (1992) 39
Emelyanov, S.A., see Dmitriev 263 (1992) 659
Endo, T., see Van Degrift 263 (1992) 116
Engel, L.W., T. Sajoto, Y.P. Li, D.C. Tsui and M. Shayegan, Studies of the reentrant insulating phase around the $\frac{1}{5}$ FQH liquid: I–V curves, noise, RF bias 263 (1992) 44
Engel, L.W., see Suen 263 (1992) 152
Ensslin, K., S. Sasa, T. Deruelle and P.M. Petroff, Anisotropic electron transport through a rectangular antidot lattice 263 (1992) 319
Etienne, B., see Williams 263 (1992) 23
Etienne, B., see Pasquier 263 (1992) 419

Etienne, B., see Jusserand 263 (1992) 527
Etienne, B., see Huant 263 (1992) 565

Fang, F.F., P.J. Wang, B.S. Meyerson, J.J. Nocera and K.E. Ismail, Two-dimensional hole gas in Si/SiGe heterostructures 263 (1992) 175
Fasol, G., see Jusserand 263 (1992) 527
Faurie, J.P., see Guldner 263 (1992) 541
Feng, X.-m., J.J. Mares, M.E. Raikh, F. Koch, D. Grützmacher and A. Kohl, Magnetotransport in planar doping structures 263 (1992) 147
Fertig, H.A. and S. Das Sarma, Behavior of electrons at soft edges in the fractional quantum Hall and Wigner crystal states 263 (1992) 60
Fischer, A., see Wagner 263 (1992) 628
Fisher, T.A., see Whittaker 263 (1992) 549
Fisher, T.A., see Simmonds 263 (1992) 646
Florez, L.T., see Zrenner 263 (1992) 496
Florez, L.T., see Helm 263 (1992) 518
Fontein, P.F., P. Hendriks, F.A.P. Blom, J.H. Wolter, L.J. Giling and C.W.J. Beenakker, Spatial potential distribution in GaAs/$Al_xGa_{1-x}As$ heterostructures under quantum Hall conditions studied with the linear electro-optic effect 263 (1992) 91
Forchel, A., see Butov 263 (1992) 457
Ford, R.A., see Turberfield 263 (1992) 1
Ford, R.A., see Haynes 263 (1992) 614
Foster, T.J., see Dellow 263 (1992) 438
Foxon, C.T., see Turberfield 263 (1992) 1
Foxon, C.T., see Williams 263 (1992) 23
Foxon, C.T., see Meisels 263 (1992) 76
Foxon, C.T., see Molenkamp 263 (1992) 288
Foxon, C.T., see Kouwenhoven 263 (1992) 405
Foxon, C.T., see Haynes 263 (1992) 614
Fozooni, P., see Lea 263 (1992) 677
Fritze, M., W. Chen, W. Wałecki, A.V. Nurmikko, J.M. Hong and L.L. Chang, Fermi-edge singularities as probes of a two-dimensional electron gas in GaAs heterostructures 263 (1992) 633
Fromhold, T.M., P.N. Butcher, G. Qin, B.G. Mulimani, J.P. Oxley and B.L. Gallagher, 180° phase shift of phonon drag magnetothermopower oscillations in high mobility 2DEGs 263 (1992) 183
Frost, J.E.F., see Davies 263 (1992) 81
Frost, J.E.F., see Matthews 263 (1992) 141
Fujiwara, A., S. Fukatsu, Y. Shiraki and R. Itoh, Observation of resonant electron capture in AlGaAs/GaAs quantum well structures 263 (1992) 642
Fujiwara, K., see Schneider 263 (1992) 531
Fukai, Y.K., see Tarucha 263 (1992) 253
Fukatsu, S., see Nii 263 (1992) 275
Fukatsu, S., see Fujiwara 263 (1992) 642
Fukuzawa, T., see Kash 263 (1992) 502
Funato, K., see Takamasu 263 (1992) 217

Gallagher, B.L., see Hartland 263 (1992) 112
Gallagher, B.L., see Fromhold 263 (1992) 183
Galloway, T., see Hartland 263 (1992) 112
Gammon, D., B.V. Shanabrook, J.C. Ryan, G. Brozak and D.S. Katzer, Exchange and correlation in quasi-two-dimensional plasmas in quantum well structures 263 (1992) 471

Ganser, P., see Wagner 263 (1992) 628
Garini, Y., E. Cohen, E. Ehrenfreund, A. Ron, K.K. Law, J.L. Merz and A.C. Gossard, Photoinduced intersubband absorption in n-type well- and barrier-doped quantum wells 263 (1992) 561
Geerligs, L.J., The frequency-locked turnstile device for single electrons 263 (1992) 396
Geim, A.K. (Heym), P.C. Main, P.H. Beton, P. Středa, L. Eaves, C.D.W. Wilkinson and S.P. Beaumont, Non-local magnetoresistance at the crossover between the classical and quantum transport regimes 263 (1992) 298
Gerecke, H., see Bechstedt 263 (1992) 585
Gerhardts, R.R. and D. Pfannkuche, Magnetoresistance oscillations of a 2DEG in a weak lateral superlattice: manifestation of "Hofstadter's butterfly" 263 (1992) 324
Germann, R., see Guéret 263 (1992) 212
Giling, L.J., see Fontein 263 (1992) 91
Glattli, D.C., see Williams 263 (1992) 23
Glattli, D.C., see Pasquier 263 (1992) 419
Goldberg, B.B., D. Heiman, A. Pinczuk, L.N. Pfeiffer and K.W. West, Magneto-optics in the integer and fractional quantum Hall and electron solid regimes 263 (1992) 9
Goldberg, B.B., see Dahl 263 (1992) 638
Goñi, A.R., see Calleja 263 (1992) 346
Gornik, E., see Smoliner 263 (1992) 207
Gornik, E., see Besson 263 (1992) 650
Gossard, A.C., see Monemar 263 (1992) 556
Gossard, A.C., see Garini 263 (1992) 561
Grambow, P., see Plaut 263 (1992) 341
Gramila, T.J., J.P. Eisenstein, A.H. MacDonald, L.N. Pfeiffer and K.W. West, Electron–electron scattering between parallel two-dimensional electron gases 263 (1992) 446
Grodnensky, I., D. Heitmann and K. von Klitzing, Single-particle and many-body effects in the edge magnetoplasma excitations of a two-dimensional electron system 263 (1992) 467
Grützmacher, D., see Feng 263 (1992) 147
Grützmacher, D., see Butov 263 (1992) 457
Grynberg, M., see Huant 263 (1992) 565
Guéret, P., N. Blanc, R. Germann and H. Rothuizen, Vertical transport in Schottky-gated, laterally confined double-barrier quantum well heterostructures 263 (1992) 212
Guldner, Y., J. Manassès, J.P. Vieren, M. Voos and J.P. Faurie, Temperature dependent electronic properties of HgZnTe/CdTe superlattices 263 (1992) 541
Günzler, T., see Lehndorff 263 (1992) 674

Harbison, J.P., see Zrenner 263 (1992) 496
Harbison, J.P., see Helm 263 (1992) 518
Harmans, C.J.P.M., see Kouwenhoven 263 (1992) 405
Harris, C.I., H. Kalt, B. Monemar and K. Köhler, Screening and correlation effects in degenerately center doped GaAs/AlGaAs single quantum wells 263 (1992) 462
Harris, C.I., see Monemar 263 (1992) 556
Harris, J.J., see Turberfield 263 (1992) 1
Harris, J.J., see Williams 263 (1992) 23
Harris, J.J., see Meisels 263 (1992) 76
Harris, J.J., see Haynes 263 (1992) 614
Hartland, A., K. Jones, J.M. Williams, T. Galloway, B.L. Gallagher, C.R.H. White and M. Henini, A direct comparison of the quantized Hall resistance in high critical current gallium arsenide and silicon devices 263 (1992) 112
Hartstein, A., Conductance in ultra-short channel Si MOSFETs 263 (1992) 162

Hasko, D.G., see Matthews 263 (1992) 141
Haug, R.J., see Koch 263 (1992) 108
Haug, R.J., H. Munekata and L.L. Chang, One-dimensional electron transport on the surface channel of InAs quantum wells 263 (1992) 374
Haug, R.J., J.M. Hong and K.Y. Lee, Electron transport through one quantum dot and through a string of quantum dots 263 (1992) 415
Haupt, R., see Wendler 263 (1992) 363
Hausenblas, M., see Potemski 263 (1992) 591
Hawksworth, S.J., see Chitta 263 (1992) 227
Hayden, R.K., see Eaves 263 (1992) 199
Hayne, M., M.K. Ellis, A.S. Plaut, A. Usher and K. Ploog, Temperature dependence of the luminescence from a two-dimensional electron system in the Wigner solid regime 263 (1992) 39
Haynes, S.R., see Turberfield 263 (1992) 1
Haynes, S.R., R.A. Ford, A.J. Turberfield, P.A. Wright, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Luminescence from the degenerate two-dimensional electrons at an ultrahigh mobility heterojunction 263 (1992) 614
He, S., X.C. Xie and S. Das Sarma, Fractional quantum Hall effect in thick layers and double quantum well systems 263 (1992) 87
Heiblum, M., see Lee 263 (1992) 120
Heiman, D., see Goldberg 263 (1992) 9
Heiman, D., see Dahl 263 (1992) 638
Hein, G., P. Schneider, L. Schweitzer, F.J. Ahlers, L. Bliek, H. Nickel, R. Lösch and W. Schlapp, Influence of a constriction on the longitudinal resistance of a 2DEG: effects of electrical fields and edge states 263 (1992) 293
Heinzel, T., see De Aguiar 263 (1992) 428
Heitmann, D., see Plaut 263 (1992) 341
Heitmann, D., see Grodnensky 263 (1992) 467
Helm, M., F.M. Peeters, F. DeRosa, E. Colas, J.P. Harbison and L.T. Florez, Infrared spectroscopy of subbands, minibands, and donors in GaAs/AlGaAs superlattices 263 (1992) 518
Hendriks, P., see Fontein 263 (1992) 91
Henini, M., see Hartland 263 (1992) 112
Henini, M., see Eaves 263 (1992) 199
Henini, M., see Chitta 263 (1992) 227
Henini, M., see Dellow 263 (1992) 438
Herlach, F., see Peeters 263 (1992) 654
Heyers, K., see De Graaf 263 (1992) 409
Higurashi, H., S. Iwabuchi and Y. Nagaoka, Conductance fluctuations in mesoscopic quantum wires near the ballistic regime 263 (1992) 382
Hill, G., see Chitta 263 (1992) 227
Hipólito, O., see Basmaji 263 (1992) 231
Hirayama, Y., see Tarucha 263 (1992) 253
Hirler, F., see Smoliner 263 (1992) 207
Hirler, F., R. Küchler, R. Strenz, G. Abstreiter, G. Böhm, J. Smoliner, G. Tränkle and G. Weimann , Spatially direct and indirect optical transitions in shallow etched GaAs/AlGaAs quantum wires 263 (1992) 536
Hirose, K. and H. Kamimura, The electronic structures of a GaAs/AlAs Fibonacci superlattice 263 (1992) 609
Holtz, P.O., see Monemar 263 (1992) 556
Honda, T., see Tsubaki 263 (1992) 392
Hong, J.M., see Haug 263 (1992) 415

Hong, J.M., see Kash 263 (1992) 502
Hong, J.M., see Deleporte 263 (1992) 570
Hong, J.M., see Fritze 263 (1992) 633
Horing, N.J.M., see Lei 263 (1992) 172
Howell, D.F., see Peeters 263 (1992) 654
Huant, S., A. Mandray, G. Martinez, M. Grynberg and B. Etienne, Electronic properties of two-dimensional D^- centres 263 (1992) 565
Huckestein, B., B. Kramer and L. Schweitzer, Characterization of the electronic states near the centres of the Landau bands under quantum Hall conditions 263 (1992) 125
Hughes, H.P., see Wilkinson 263 (1992) 475
Hughes, O.H., see Eaves 263 (1992) 199
Hwang, S.W., J.A. Simmons, D.C. Tsui and M. Shayegan, Quasiparticle charge of 1/3 FQH liquid from resistance fluctuation measurements 263 (1992) 72

Ikegami, M. and Y. Nagaoka, Electron motion on a curved interface 263 (1992) 193
Ioriatti, L., see Basmaji 263 (1992) 231
Ioriatti, L., see Chaplik 263 (1992) 354
Ishibashi, K.E., Y. Aoyagi, S. Namba, Y. Ochiai, J.P. Bird and M. Kawabe, Conductance fluctuations in a narrow GaAs/AlGaAs split gate wire 263 (1992) 378
Ishibashi, K., see Ochiai 263 (1992) 388
Ismail, K., see Wróbel 263 (1992) 261
Ismail, K.E., see Fang 263 (1992) 175
Itoh, R., see Fujiwara 263 (1992) 642
Itoh, R., see Nii 263 (1992) 275
Ivanov, S.V., see Dmitriev 263 (1992) 659
Iwabuchi, S., see Higurashi 263 (1992) 382

Jain, J.K., Strongly correlated fractional quantum Hall states: description in terms of weakly interacting composite fermions 263 (1992) 65
Janssen, A.M.L., see Lea 263 (1992) 677
Jiang, H.W., H.L. Stormer, D.C. Tsui, L.N. Pfeiffer and K.W. West, Transport measurements on the electronic phases around $\nu = 1/5$ Landau level filling 263 (1992) 18
Jo, J., see Suen 263 (1992) 152
Johnson, A.T., see Kouwenhoven 263 (1992) 405
Jones, G.A.C., see Davies 263 (1992) 81
Jones, G.A.C., see Matthews 263 (1992) 141
Jones, K., see Hartland 263 (1992) 112
Jusserand, B., D. Richards, B. Etienne, H. Peric and G. Fasol, Electronic Raman scattering on highly doped single quantum wells 263 (1992) 527

Kalt, H., see Harris 263 (1992) 462
Kalt, H., see Monemar 263 (1992) 556
Kamimura, H., see Hirose 263 (1992) 609
Karraï, K., X. Ying, H.D. Drew, M.B. Santos, M. Shayegan, S.-R.E. Yang and A.H. MacDonald, Magneto-rotons in wide parabolic quantum wells 263 (1992) 451
Kasai, J.-i., see Murayama 263 (1992) 604
Kash, J.A., M. Zachau, E.E. Mendez, J.M. Hong and T. Fukuzawa, Thermodynamics of excitons in coupled quantum wells 263 (1992) 502
Katayama, S., Far-infrared transmission spectra of laterally confined 2D plasma in quantum wires: influence of a magnetic field 263 (1992) 359
Katzer, D.S., see Gammon 263 (1992) 471
Katzer, D.S., see Deveaud 263 (1992) 491

Kawabe, M., see Ishibashi 263 (1992) 378
Kawabe, M., see Ochiai 263 (1992) 388
Kawaguchi, T., T. Ohtsuki and M. Saitoh, Two-ripplon processes of electrons on the liquid ^{4}He surface 263 (1992) 671
Kawai, H., see Takamasu 263 (1992) 217
Kelly, M.J., see Matthews 263 (1992) 141
Kinoshita, J., see Van Degrift 263 (1992) 116
Kirczenow, G., Quantum Hall and transmission resonances of quantum dot arrays: a possible spectroscopy of Hofstadter butterflies 263 (1992) 330
Klapwijk, T.M., see Van Son 263 (1992) 284
Klass, U., W. Dietsche, K. von Klitzing and K. Ploog, Image of the dissipation in gated quantum Hall effect samples 263 (1992) 97
Koch, F., see Feng 263 (1992) 147
Koch, S., R.J. Haug, K. von Klitzing and K. Ploog, Direct measurement of critical exponents in the quantum Hall regime 263 (1992) 108
Kohl, A., see Feng 263 (1992) 147
Köhler, K., see Harris 263 (1992) 462
Köhler, K., see Wagner 263 (1992) 628
Komiyama, S., see Nii 263 (1992) 275
Kop'ev, P.S., see Dmitriev 263 (1992) 659
Kotthaus, J.P., see De Aguiar 263 (1992) 428
Kouwenhoven, L.P., A.T. Johnson, N.C. van der Vaart, D.J. Maas, C.J.P.M. Harmans and C.T. Foxon, Quantized current in a quantum dot turnstile 263 (1992) 405
Kramer, B., see Huckestein 263 (1992) 125
Kramer, B., see Ohtsuki 263 (1992) 134
Kravchenko, S.V., J.A.A.J. Perenboom and V.M. Pudalov, Evidence for two-dimensional electron solid in Si inversion layers 263 (1992) 55
Kuchar, F., see Meisels 263 (1992) 76
Kuchar, F., see Wróbel 263 (1992) 261
Küchler, R., see Hirler 263 (1992) 536
Kuhl, J., see Nunnenkamp 263 (1992) 553
Kukushkin, I.V., N.J. Pulsford, K. von Klitzing, K. Ploog and V.B. Timofeev, Magnetooptics of the incompressible Fermi liquid and of the Wigner solid 263 (1992) 30
Kulakovskii, V.D., see Butov 263 (1992) 457
Kumar, A., Self-consistent calculations on confined electrons in three-dimensional geometries 263 (1992) 335
Kunze, U., see Winkler 263 (1992) 222

Lage, H., see Plaut 263 (1992) 341
Lakrimi, M., C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575
Landwehr, G., see Yakovlev 263 (1992) 485
Langerak, C.J.G.M., see Dellow 263 (1992) 438
Langerak, C.J.G.M., see Peeters 263 (1992) 654
Law, K.K., see Garini 263 (1992) 561
Lea, M.J., A.O. Stone, P. Fozooni, P.J.M. Peters, A.M.L. Janssen and R.W. van der Heijden, A new low frequency propagating mode in a 2DEG in a magnetic field 263 (1992) 677
Leadbeater, M.L., see Eaves 263 (1992) 199
Leburton, J.P., see Degani 263 (1992) 179

Lee, J.I., P.J. Stiles and M. Heiblum, Capacitively-coupled measurements on the frequency dependent diagonal magnetoconductance of a 2DEG in GaAs heterostructure in the quantum Hall regime 263 (1992) 120
Lee, K.Y., see Wróbel 263 (1992) 261
Lee, K.Y., see Haug 263 (1992) 415
Leeb, P., see Zrenner 263 (1992) 496
Lehndorff, B., C. Vossloh, T. Günzler and K. Dransfeld, Temperature dependent microwave absorption of electrons on helium films 263 (1992) 674
Lei, X.L., N.J.M. Horing and H.L. Cui, Superlattice Bloch electron conduction and negative differential mobility 263 (1992) 172
Leitch, W.E., C.M. Sotomayor Torres, D. Lootens, S. Thoms, P. van Daele, C.R. Stanley, P. Demeester and S.P. Beaumont, Luminescence studies from wires of varying aspect ratio in GaAs/GaAlAs quantum wells 263 (1992) 622
Li, Y., see Shao 263 (1992) 167
Li, Y.P., see Engel 263 (1992) 44
Lootens, D., see Leitch 263 (1992) 622
López, C., see Lakrimi 263 (1992) 575
Lorke, A., Static and dynamic conductivity of lateral superlattices 263 (1992) 307
Lorke, A., see De Aguiar 263 (1992) 428
Lösch, R., see Hein 263 (1992) 293
Lösch, R., see Müller 263 (1992) 280
Lozovik, Y.E., see Dzyubenko 263 (1992) 680

Maan, J.C., see Chitta 263 (1992) 227
Maan, J.C., see Potemski 263 (1992) 591
Maas, D.J., see Kouwenhoven 263 (1992) 405
MacDonald, A.H., see Côté 263 (1992) 187
MacDonald, A.H., see Gramila 263 (1992) 446
MacDonald, A.H., see Karraï 263 (1992) 451
Main, P.C., see Geim 263 (1992) 298
Main, P.C., see Dellow 263 (1992) 438
Manassès, J., see Guldner 263 (1992) 541
Mandray, A., see Huant 263 (1992) 565
Mares, J.J., see Feng 263 (1992) 147
Martin, R.W., see Lakrimi 263 (1992) 575
Martinez, G., see Huant 263 (1992) 565
Martinez, G., see Potemski 263 (1992) 591
Mason, N.J., see Lakrimi 263 (1992) 575
Matthews, P., M.J. Kelly, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, Interactions between hot injected electrons and the cold electrons in the two-dimensional electron gas base of a vertical hot electron transistor 263 (1992) 141
Maude, D.K., see Eaves 263 (1992) 199
McCombe, B.D., see Wang 263 (1992) 547
Meirav, U., see Pasquier 263 (1992) 419
Meisels, R., F. Kuchar, J.J. Harris and C.T. Foxon, Microwave response of quasi-particles in the FQHE 263 (1992) 76
Mendez, E.E., see Kash 263 (1992) 502
Menschig, A., see Weiss 263 (1992) 314
Merz, J.L., see Monemar 263 (1992) 556
Merz, J.L., see Garini 263 (1992) 561
Meyerson, B.S., see Fang 263 (1992) 175

Miura, N., see Takamasu 263 (1992) 217
Miura, N., see Sasaki 263 (1992) 600
Molenkamp, L.W., M.J.P. Brugmans, H. van Houten, C.W.J. Beenakker and C.T. Foxon, Selective backscattering and the breakdown of the quantum Hall effect 263 (1992) 288
Monarkha, Yu.P., Low-temperature features of quantum magnetoconductance of a two-dimensional electron gas on a liquid helium surface 263 (1992) 668
Monemar, B., see Harris 263 (1992) 462
Monemar, B., P.O. Holtz, P. Bergman, C.I. Harris, H. Kalt, M. Sundaram, J.L. Merz and A.C. Gossard, Effects of localization on optical spectra for shallow acceptors in center-doped GaAs/AlGaAs multiple quantum wells 263 (1992) 556
Moore, W.J., see Yang 263 (1992) 595
Mulimani, B.G., see Fromhold 263 (1992) 183
Müller, G., E. Diessel, D. Weiss, K. von Klitzing, K. Ploog, H. Nickel, W. Schlapp and R. Lösch, Influence of interedge channel scattering on the magneto-transport of 2D-systems 263 (1992) 280
Müller, J.F., see Calleja 263 (1992) 346
Munekata, H., see Haug 263 (1992) 374
Murase, K., see Oto 263 (1992) 303
Murayama, Y. and J.-i. Kasai, Experimental determination of effective mass within the energy gap 263 (1992) 604

Nagaoka, Y., see Ikegami 263 (1992) 193
Nagaoka, Y., see Higurashi 263 (1992) 382
Namba, S., see Ishibashi 263 (1992) 378
Namba, S., see Ochiai 263 (1992) 388
Nash, K.J., see Simmonds 263 (1992) 646
Nazin, S., K. Tevosyan and V. Shikin, Plasma oscillations in quasi-classical dots 263 (1992) 351
Newbury, R., see Davies 263 (1992) 81
Nicholas, R.J., see Lakrimi 263 (1992) 575
Nicholas, R.J., see Peeters 263 (1992) 654
Nickel, H., see Wróbel 263 (1992) 261
Nickel, H., see Müller 263 (1992) 280
Nickel, H., see Hein 263 (1992) 293
Nii, H., M. Ohsawa, S. Komiyama, S. Fukatsu, Y. Shiraki, R. Itoh and H. Toyoshima, Geometry-dependent resistances of two-dimensional electron gas at high magnetic fields 263 (1992) 275
Nocera, J.J., see Fang 263 (1992) 175
Nogaret, A. and J.C. Portal, Calculated contribution of localised LO phonon modes to the valley current of a double-barrier diode 263 (1992) 234
Notari, A.C., see Basmaji 263 (1992) 231
Nunnenkamp, J., K. Reimann, J. Kuhl and K. Ploog, Kinetics of pressure induced $\Gamma-\chi$ electron transfer in a type-I superlattice 263 (1992) 553
Nurmikko, A.V., see Fritze 263 (1992) 633

Ochiai, Y., see Ishibashi 263 (1992) 378
Ochiai, Y., T. Onishi, J.P. Bird, M. Kawabe, K. Ishibashi, Y. Aoyagi and S. Namba, Size effect in the low temperature magnetoresistance of narrow GaAs/AlGaAs wires 263 (1992) 388
Ogawa, T. and T. Takagahara, Excitonic absorption spectra and Sommerfeld factors of one-dimensional systems 263 (1992) 506
Ogawa, T., see Shimizu 263 (1992) 512
Ohata, A. and A. Toriumi, Magneto-transport study in restricted MOS inversion layers 263 (1992) 157

Ohsawa, M., see Nii 263 (1992) 275
Ohtsuki, T., Y. Ono and B. Kramer, Electronic states in disordered layered systems in the quantum Hall regime 263 (1992) 134
Ohtsuki, T., see Kawaguchi 263 (1992) 671
Okuyama, Y., T. Sakuma and N. Tokuda, Quantized thermoelectric power in the ballistic transport regime 263 (1992) 258
Onishi, T., see Ochiai 263 (1992) 388
Ono, Y., Effect of probes in 2D electron systems with finite width subject to strong magnetic fields 263 (1992) 129
Ono, Y., see Ohtsuki 263 (1992) 134
Ossau, W., see Yakovlev 263 (1992) 485
Oto, K., S. Takaoka, K. Murase, S. Suyama and T. Serikawa, Nonlocal Shubnikov–de Haas effect in Si-MOSFETs 263 (1992) 303
Oxley, J.P., see Fromhold 263 (1992) 183

Palacios, J.J., see Tejedor 263 (1992) 424
Pasquier, C., D.C. Glattli, U. Meirav, F.I.B. Williams, Y. Bin and B. Etienne, Coulomb blockade of tunneling in a 2D electron gas 263 (1992) 419
Pechstedt, R., see Wendler 263 (1992) 363
Peeters, F.M., see Helm 263 (1992) 518
Peeters, F.M., X.-G. Wu, J.T. Devreese, M. Watts, R.J. Nicholas, D.F. Howell, L. van Bockstal, F. Herlach, C.J.G.M. Langerak, J. Singleton and A. Chevy, Resonant magnetopolaron coupling to both polar and neutral optical phonons in the layer compound InSe 263 (1992) 654
Pepper, M., see Davies 263 (1992) 81
Perenboom, J.A.A.J., see Kravchenko 263 (1992) 55
Peric, H., see Jusserand 263 (1992) 527
Peter, G., see Deleporte 263 (1992) 570
Peters, P.J.M., see Lea 263 (1992) 677
Petroff, P.M., see Ensslin 263 (1992) 319
Pfannkuche, D., see Gerhardts 263 (1992) 324
Pfeiffer, L.N., see Goldberg 263 (1992) 9
Pfeiffer, L.N., see Jiang 263 (1992) 18
Pfeiffer, L.N., see Spector 263 (1992) 240
Pfeiffer, L.N., see Calleja 263 (1992) 346
Pfeiffer, L.N., see Gramila 263 (1992) 446
Pfeiffer, L.N., see Dahl 263 (1992) 638
Pinczuk, A., see Goldberg 263 (1992) 9
Pinczuk, A., see Calleja 263 (1992) 346
Pinczuk, A., see Dahl 263 (1992) 638
Plaut, A.S., see Hayne 263 (1992) 39
Plaut, A.S., H. Lage, P. Grambow, D. Heitmann, K. von Klitzing and K. Ploog, Direct magneto-optical observation of a quantum confined one-dimensional electron gas 263 (1992) 341
Ploog, K., see Kukushkin 263 (1992) 30
Ploog, K., see Hayne 263 (1992) 39
Ploog, K., see Klass 263 (1992) 97
Ploog, K., see Koch 263 (1992) 108
Ploog, K., see Müller 263 (1992) 280
Ploog, K., see Plaut 263 (1992) 341
Ploog, K., see Schneider 263 (1992) 531
Ploog, K., see Nunnenkamp 263 (1992) 553

Ploog, K., see Potemski 263 (1992) 591
Ploog, K., see Wagner 263 (1992) 628
Portal, J.C., see Eaves 263 (1992) 199
Portal, J.C., see Nogaret 263 (1992) 234
Potemski, M., Y.H. Zhang, M. Hausenblas, J.C. Maan, G. Martinez and K. Ploog, Filling factor dependent Landau level broadening studied with inter- and intraband magneto-optics in GaInAs/AlInAs MDQWs 263 (1992) 591
Pudalov, V.M., see D'Iorio 263 (1992) 49
Pudalov, V.M., see Kravchenko 263 (1992) 55
Pulsford, N.J., see Kukushkin 263 (1992) 30

Qin, G., see Fromhold 263 (1992) 183

Radelaar, S., see De Graaf 263 (1992) 409
Raikh, M.E., see Feng 263 (1992) 147
Reimann, K., see Nunnenkamp 263 (1992) 553
Richards, D., see Jusserand 263 (1992) 527
Richards, D., see Ekenberg 263 (1992) 580
Richter, C.A., R.G. Wheeler and R.N. Sacks, Overshoot of quantum Hall plateaus 263 (1992) 270
Ritchie, D.A., see Davies 263 (1992) 81
Ritchie, D.A., see Matthews 263 (1992) 141
Ron, A., see Garini 263 (1992) 561
Rössler, U., see Winkler 263 (1992) 222
Rothuizen, H., see Guéret 263 (1992) 212
Roy, N., see Deveaud 263 (1992) 491
Ruckenstein, A.E., see Calleja 263 (1992) 346
Ryan, J.C., see Gammon 263 (1992) 471
Ryan, J.F., see Turberfield 263 (1992) 1
Ryan, J.F., see Haynes 263 (1992) 614

Sachrajda, A.S., see Taylor 263 (1992) 247
Sacks, R.N., see Richter 263 (1992) 270
Saitoh, M., see Kawaguchi 263 (1992) 671
Sajoto, T., see Engel 263 (1992) 44
Sakaki, H., see Shimizu 263 (1992) 512
Saku, T., see Tarucha 263 (1992) 253
Sakuma, T., see Okuyama 263 (1992) 258
Santos, M.B., see Karraï 263 (1992) 451
Santos, M.B., see Suen 263 (1992) 152
Sasa, S., see Ensslin 263 (1992) 319
Sasaki, S. and N. Miura, Magneto-optical investigation of energy band structure in $GaAs/Al_xGa_{1-x}As$ short period superlattices under pulsed high magnetic fields 263 (1992) 600
Schäfer, J., see Zrenner 263 (1992) 496
Schaff, W., see Wang 263 (1992) 547
Schlapp, W., see Wróbel 263 (1992) 261
Schlapp, W., see Müller 263 (1992) 280
Schlapp, W., see Hein 263 (1992) 293
Schmeusser, S., see Yakovlev 263 (1992) 485
Schmitt-Rink, S., see Calleja 263 (1992) 346
Schneider, H., J. Wagner, K. Ploog and K. Fujiwara, Multiply resonant Raman scattering in Stark ladder superlattices 263 (1992) 531

Schneider, P., see Hein 263 (1992) 293
Schrappe, B., see Basmaji 263 (1992) 231
Schweitzer, L., see Huckestein 263 (1992) 125
Schweitzer, L., see Hein 263 (1992) 293
Segawa, K., see Van Degrift 263 (1992) 116
Semenchinsky, S.G., see D'Iorio 263 (1992) 49
Serikawa, T., see Oto 263 (1992) 303
Sermage, B., see Deveaud 263 (1992) 491
Sham, L.J., see Uenoyama 263 (1992) 618
Shanabrook, B.V., see Gammon 263 (1992) 471
Shao, H., H. Zheng and Y. Li, A new method for measuring the effective diffusion constant of two-dimensional electrons in the presence of magnetic fields 263 (1992) 167
Shayegan, M., see Engel 263 (1992) 44
Shayegan, M., see Hwang 263 (1992) 72
Shayegan, M., see Suen 263 (1992) 152
Shayegan, M., see Karraï 263 (1992) 451
Sheard, F.W., see Eaves 263 (1992) 199
Shikin, V., see Nazin 263 (1992) 351
Shimizu, A., T. Ogawa and H. Sakaki, Two-photon absorption spectra of low-dimensional semiconductors 263 (1992) 512
Shiraki, Y., see Nii 263 (1992) 275
Shiraki, Y., see Fujiwara 263 (1992) 642
Simmonds, P.E., see Whittaker 263 (1992) 549
Simmonds, P.E., M.S. Skolnick, T.A. Fisher, K.J. Nash and R.S. Smith, Many body resonant polaron interaction in quantum wells containing high densities of free carriers 263 (1992) 646
Simmons, J.A., see Hwang 263 (1992) 72
Singleton, J., see Peeters 263 (1992) 654
Skolnick, M.S., see Whittaker 263 (1992) 549
Skolnick, M.S., see Simmonds 263 (1992) 646
Smith, R.S., see Whittaker 263 (1992) 549
Smith, R.S., see Simmonds 263 (1992) 646
Smoliner, J., W. Demmerle, F. Hirler, E. Gornik, G. Böhm and G. Weimann, Tunneling processes between quantum wires and two-dimensional electron states 263 (1992) 207
Smoliner, J., see Hirler 263 (1992) 536
Sotomayor Torres, C.M., see Leitch 263 (1992) 622
Spector, J., J.S. Weiner, H.L. Stormer, K.W. Baldwin, L.N. Pfeiffer and K.W. West, Ballistic electron optics 263 (1992) 240
Stanley, C.R., see Leitch 263 (1992) 622
Stiles, P.J., see Lee 263 (1992) 120
Stone, A.O., see Lea 263 (1992) 677
Stopa, M.P., Charging energy and collective response of a quantum dot resonant tunneling device 263 (1992) 433
Stormer, H.L., see Jiang 263 (1992) 18
Stormer, H.L., see Spector 263 (1992) 240
Středa, P., see Geim 263 (1992) 298
Strenz, R., see Hirler 263 (1992) 536
Suen, Y.W., J. Jo, M.B. Santos, L.W. Engel and M. Shayegan, Magnetostransport properties of double-layer systems in wide single quantum wells 263 (1992) 152
Summers, G.M., see Lakrimi 263 (1992) 575
Sundaram, G.M., see Lakrimi 263 (1992) 575

Sundaram, M., see Monemar 263 (1992) 556
Suyama, S., see Oto 263 (1992) 303

Taira, K., see Takamasu 263 (1992) 217
Takagahara, T., see Ogawa 263 (1992) 506
Takamasu, T., N. Miura, K. Taira, K. Funato and H. Kawai, Quantum transport phenomena in InAs/GaSb/InAs tunneling devices under high magnetic fields 263 (1992) 217
Takaoka, S., see Oto 263 (1992) 303
Tarucha, S., Y.K. Fukai, Y. Hirayama and T. Saku, Ballistic electron propagation in macroscopic four-terminal structures and its gate controlled transmission and reflection 263 (1992) 253
Taylor, L.L., see Whittaker 263 (1992) 549
Taylor, R.P., A.S. Sachrajda, J.A. Adams, P. Zawadzki, P.T. Coleridge and M. Davies, Classical and quantum transmission effects in submicron-size dots 263 (1992) 247
Tejedor, C. and J.J. Palacios, Scattering and Coulomb blockade in magnetotunneling across singly and multiply connected barriers in quasi-two-dimensional systems 263 (1992) 424
Terent'ev, Ya.V., see Dmitriev 263 (1992) 659
Tevosyan, K., see Nazin 263 (1992) 351
Thompson, P.E., see Yang 263 (1992) 595
Thoms, S., see Leitch 263 (1992) 622
Timofeev, V.B., see Kukushkin 263 (1992) 30
Tokuda, N., see Okuyama 263 (1992) 258
Tokura, Y., see Tsubaki 263 (1992) 392
Toriumi, A., see Ohata 263 (1992) 157
Toyoshima, H., see Nii 263 (1992) 275
Tränkle, G., see Hirler 263 (1992) 536
Tso, H.C., see Vasilopoulos 263 (1992) 368
Tsubaki, K., T. Honda and Y. Tokura, Aharonov–Bohm effect under high magnetic field in a Corbino disk anti-dot channel 263 (1992) 392
Tsui, D.C., see Jiang 263 (1992) 18
Tsui, D.C., see Engel 263 (1992) 44
Tsui, D.C., see Hwang 263 (1992) 72
Turberfield, A.J., S.R. Haynes, P.A. Wright, R.A. Ford, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Optical spectroscopy of correlated phases of degenerate two-dimensional electrons 263 (1992) 1
Turberfield, A.J., see Haynes 263 (1992) 614

Uenoyama, T. and L.J. Sham, Effect of hole relaxation and uniaxial stress on luminescence polarization in quantum wells 263 (1992) 618
Uraltsev, I.N., see Yakovlev 263 (1992) 485
Usher, A., see Hayne 263 (1992) 39

Valadares, E.C., see Eaves 263 (1992) 199
Van Bockstal, L., see Peeters 263 (1992) 654
Van Daele, P., see Leitch 263 (1992) 622
Van Degrift, C.T., K. Yoshihiro, M.E. Cage, D. Yu, K. Segawa, J. Kinoshita and T. Endo, Anomalously offset quantized Hall plateaus in high-mobility Si-MOSFETs 263 (1992) 116
Van der Heijden, R.W., see Lea 263 (1992) 677
Van der Vaart, N.C., see Kouwenhoven 263 (1992) 405
Van Houten, H., see Molenkamp 263 (1992) 288

Van Houten, H., Coulomb blockade oscillations in semiconductor nanostructures 263 (1992) 442
Van Son, P.C., S.L. Wang and T.M. Klapwijk, Spin dependence of inter-edge-channel scattering in Si-MOSFETs in the quantum Hall regime 263 (1992) 284
Vasilopoulos, P. and H.C. Tso, Magnetotransport in Coulomb coupled quantum wires 263 (1992) 368
Vieren, J.P., see Guldner 263 (1992) 541
Von Klitzing, K., see Kukushkin 263 (1992) 30
Von Klitzing, K., see Klass 263 (1992) 97
Von Klitzing, K., see Koch 263 (1992) 108
Von Klitzing, K., see Müller 263 (1992) 280
Von Klitzing, K., see Weiss 263 (1992) 314
Von Klitzing, K., see Plaut 263 (1992) 341
Von Klitzing, K., see Grodnensky 263 (1992) 467
Voos, M., see Guldner 263 (1992) 541
Vossloh, C., see Lehndorff 263 (1992) 674

Waag, A., see Yakovlev 263 (1992) 485
Wagner, J., see Schneider 263 (1992) 531
Wagner, J., P. Ganser, K. Köhler, A. Fischer and K. Ploog, Fermi edge singularity and screening effects in the luminescence spectra of Si or Be δ-doped GaAs 263 (1992) 628
Wagner, R.J., see Yang 263 (1992) 595
Wakabayashi, J., Hall effect and localization in the Landau subbands of Si inversion layers 263 (1992) 100
Wałecki, W., see Fritze 263 (1992) 633
Walker, P.J., see Lakrimi 263 (1992) 575
Wang, P.J., see Fang 263 (1992) 175
Wang, S.L., see Van Son 263 (1992) 284
Wang, Y.J., B.D. McCombe and W. Schaff, Magnetic field induced metal–insulator transitions in modulation-doped multiple-quantum-well structures 263 (1992) 547
Waterman, J.R., see Yang 263 (1992) 595
Watts, M., see Peeters 263 (1992) 654
Weimann, G., see Smoliner 263 (1992) 207
Weimann, G., see Weiss 263 (1992) 314
Weimann, G., see Zrenner 263 (1992) 496
Weimann, G., see Hirler 263 (1992) 536
Weimann, G., see Besson 263 (1992) 650
Weiner, J.S., see Spector 263 (1992) 240
Weiner, J.S., see Calleja 263 (1992) 346
Weiss, D., see Müller 263 (1992) 280
Weiss, D., A. Menschig, K. von Klitzing and G. Weimann, Magnetoresistance in a grid-type lateral superlattice: the role of disorder 263 (1992) 314
Wendler, L., R. Haupt and R. Pechstedt, Many-particle effects in quantum well wires: plasmon–phonon coupling and depolarization effects 263 (1992) 363
West, K.W., see Goldberg 263 (1992) 9
West, K.W., see Jiang 263 (1992) 18
West, K.W., see Spector 263 (1992) 240
West, K.W., see Calleja 263 (1992) 346
West, K.W., see Gramila 263 (1992) 446
West, K.W., see Dahl 263 (1992) 638
Wharam, D.A., see De Aguiar 263 (1992) 428
Wheeler, R.G., see Richter 263 (1992) 270
White, C.R.H., see Hartland 263 (1992) 112

Whittaker, D.M., T.A. Fisher, P.E. Simmonds, M.S. Skolnick, R.S. Smith, L.L. Taylor and S.J. Bass, Magnetic field induced indirect gap in a modulation doped quantum well 263 (1992) 549
Wildöer, J.W.G., see De Graaf 263 (1992) 409
Wilkinson, C.D.W., see Geim 263 (1992) 298
Wilkinson, C.D.W., see Dellow 263 (1992) 438
Wilkinson, R.J., C.D. Ager and H.P. Hughes, Plasmon excitation by dual optical couplers 263 (1992) 475
Williams, F.I.B., G. Deville, D.C. Glattli, P.A. Wright, E.Y. Andrei, R.G. Clark, B. Etienne, C.T. Foxon and J.J. Harris, Wigner solid in random field: rigidity, pinning frequency and conduction threshold 263 (1992) 23
Williams, F.I.B., see Pasquier 263 (1992) 419
Williams, J.M., see Hartland 263 (1992) 112
Winkler, R., U. Kunze and U. Rössler, Tunneling spectroscopy of a 2DEG in InAs: experiment and theory 263 (1992) 222
Wolter, J.H., see Fontein 263 (1992) 91
Worlock, J.M., see Zrenner 263 (1992) 496
Wright, P.A., see Turberfield 263 (1992) 1
Wright, P.A., see Williams 263 (1992) 23
Wright, P.A., see Haynes 263 (1992) 614
Wróbel, J., F. Kuchar, K.E. Ismail, K.Y. Lee, H. Nickel and W. Schlapp, Quantized conductance of a quasi-ballistic one-dimensional wire 263 (1992) 261
Wu, X.-G., see Peeters 263 (1992) 654

Xie, X.C., see He 263 (1992) 87

Yakovlev, D.R., I.N. Uraltsev, W. Ossau, G. Landwehr, R.N. Bicknell-Tassius, A. Waag and S. Schmeusser, Two-dimensional exciton magnetic polaron in semimagnetic quantum wells 263 (1992) 485
Yamada, S., M. Yamamoto and K. Aihara, Quantum oscillations of transverse resistance in series and single point-contact configurations 263 (1992) 265
Yamamoto, M., see Yamada 263 (1992) 265
Yang, C.H., see Yang 263 (1992) 595
Yang, M.J., W.J. Moore, R.J. Wagner, J.R. Waterman, C.H. Yang, P.E. Thompson and J.L. Davis, Properties of 2D electrons and associated bound donors in delta-doped InSb 263 (1992) 595
Yang, S.-R.E., see Karraï 263 (1992) 451
Yaroshetsky, I.D., see Dmitriev 263 (1992) 659
Ying, X., see Karraï 263 (1992) 451
Yoshihiro, K., see Van Degrift 263 (1992) 116
Yu, D., see Van Degrift 263 (1992) 116

Zachau, M., see Kash 263 (1992) 502
Zawadzki, P., see Taylor 263 (1992) 247
Zhang, Y.H., see Potemski 263 (1992) 591
Zheng, H., see Shao 263 (1992) 167
Zrenner, A., P. Leeb, J. Schäfer, G. Böhm, G. Weimann, J.M. Worlock, L.T. Florez and J.P. Harbison, Indirect excitons in coupled quantum well structures 263 (1992) 496

Surface Science 263 (1992) 702–721
North-Holland



Subject index

Band structure

A.V. Chaplik and L. Ioriatti, Spectrum of collective modes and possible symmetry breaking transitions in arrays of quantum dots 263 (1992) 354

L. Wendler, R. Haupt and R. Pechstedt, Many-particle effects in quantum well wires: plasmon–phonon coupling and depolarization effects 263 (1992) 363

M.P. Stopa, Charging energy and collective response of a quantum dot resonant tunneling device 263 (1992) 433

Y. Guldner, J. Manassès, J.P. Vieren, M. Voos and J.P. Faurie, Temperature dependent electronic properties of HgZnTe/CdTe superlattices 263 (1992) 541

K. Hirose and H. Kamimura, The electronic structures of a GaAs/AlAs Fibonacci superlattice 263 (1992) 609

Beryllium

J. Wagner, P. Ganser, K. Köhler, A. Fischer and K. Ploog, Fermi edge singularity and screening effects in the luminescence spectra of Si or Be δ-doped GaAs 263 (1992) 628

Cadmium telluride

D.R. Yakovlev, I.N. Uraltsev, W. Ossau, G. Landwehr, R.N. Bicknell-Tassius, A. Waag and S. Schmeusser, Two-dimensional exciton magnetic polaron in semi-magnetic quantum wells 263 (1992) 485

Y. Guldner, J. Manassès, J.P. Vieren, M. Voos and J.P. Faurie, Temperature dependent electronic properties of HgZnTe/CdTe superlattices 263 (1992) 541

E. Deleporte, G. Peter, J.M. Berroir, C. Delalande, J.M. Hong and L.L. Chang, Temperature dependence of the magneto-optical properties of a CdTe/Cd_{1-x} Mn_xTe multiquantum well structure 263 (1992) 570

Chalcogens

Y. Guldner, J. Manassès, J.P. Vieren, M. Voos and J.P. Faurie, Temperature dependent electronic properties of HgZnTe/CdTe superlattices 263 (1992) 541

E. Deleporte, G. Peter, J.M. Berroir, C. Delalande, J.M. Hong and L.L. Chang, Temperature dependence of the magneto-optical properties of a CdTe/Cd_{1-x} Mn_xTe multiquantum well structure 263 (1992) 570

F.M. Peeters, X.-G. Wu, J.T. Devreese, M. Watts, R.J. Nicholas, D.F. Howell, L. van Bockstal, F. Herlach, C.J.G.M. Langerak, J. Singleton and A. Chevy, Resonant magnetopolaron coupling to both polar and neutral optical phonons in the layer compound InSe 263 (1992) 654

Conductivity

H.W. Jiang, H.L. Stormer, D.C. Tsui, L.N. Pfeiffer and K.W. West, Transport measurements on the electronic phases around $\nu = 1/5$ Landau level filling 263 (1992) 18

F.I.B. Williams, G. Deville, D.C. Glattli, P.A. Wright, E.Y. Andrei, R.G. Clark, B. Etienne, C.T. Foxon and J.J. Harris, Wigner solid in random field: rigidity, pinning frequency and conduction threshold 263 (1992) 23

Elsevier Science Publishers B.V. and Yamada Science Foundation

L.W. Engel, T. Sajoto, Y.P. Li, D.C. Tsui and M. Shayegan, Studies of the reentrant insulating phase around the $\frac{1}{5}$ FQH liquid: I–V curves, noise, RF bias 263 (1992) 44
M. D'Iorio, J.W. Campbell, V.M. Pudalov and S.G. Semenchinsky, Transport properties of a 2D electron solid in Si-MOSFETs 263 (1992) 49
S.V. Kravchenko, J.A.A.J. Perenboom and V.M. Pudalov, Evidence for two-dimensional electron solid in Si inversion layers 263 (1992) 55
S.W. Hwang, J.A. Simmons, D.C. Tsui and M. Shayegan, Quasiparticle charge of 1/3 FQH liquid from resistance fluctuation measurements 263 (1992) 72
R. Meisels, F. Kuchar, J.J. Harris and C.T. Foxon, Microwave response of quasi-particles in the FQHE 263 (1992) 76
A.G. Davies, R. Newbury, M. Pepper, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, The fractional quantum Hall effect in high mobility two-dimensional hole gases 263 (1992) 81
J. Wakabayashi, Hall effect and localization in the Landau subbands of Si inversion layers 263 (1992) 100
S. Koch, R.J. Haug, K. von Klitzing and K. Ploog, Direct measurement of critical exponents in the quantum Hall regime 263 (1992) 108
A. Hartland, K. Jones, J.M. Williams, T. Galloway, B.L. Gallagher, C.R.H. White and M. Henini, A direct comparison of the quantized Hall resistance in high critical current gallium arsenide and silicon devices 263 (1992) 112
C.T. Van Degrift, K. Yoshihiro, M.E. Cage, D. Yu, K. Segawa, J. Kinoshita and T. Endo, Anomalously offset quantized Hall plateaus in high-mobility Si-MOSFETs 263 (1992) 116
J.I. Lee, P.J. Stiles and M. Heiblum, Capacitively-coupled measurements on the frequency dependent diagonal magnetoconductance of a 2DEG in GaAs heterostructure in the quantum Hall regime 263 (1992) 120
T. Ohtsuki, Y. Ono and B. Kramer, Electronic states in disordered layered systems in the quantum Hall regime 263 (1992) 134
H. Aoki, The quantum Hall effect in anomalous band structures 263 (1992) 137
X.-m. Feng, J.J. Mares, M.E. Raikh, F. Koch, D. Grützmacher and A. Kohl, Magnetotransport in planar doping structures 263 (1992) 147
Y.W. Suen, J. Jo, M.B. Santos, L.W. Engel and M. Shayegan, Magnetostransport properties of double-layer systems in wide single quantum wells 263 (1992) 152
A. Ohata and A. Toriumi, Magneto-transport study in restricted MOS inversion layers 263 (1992) 157
A. Hartstein, Conductance in ultra-short channel Si MOSFETs 263 (1992) 162
X.L. Lei, N.J.M. Horing and H.L. Cui, Superlattice Bloch electron conduction and negative differential mobility 263 (1992) 172
F.F. Fang, P.J. Wang, B.S. Meyerson, J.J. Nocera and K.E. Ismail, Two-dimensional hole gas in Si/SiGe heterostructures 263 (1992) 175
M.H. Degani and J.P. Leburton, A transport model for a two-dimensional lateral-surface-superlattice 263 (1992) 179
T.M. Fromhold, P.N. Butcher, G. Qin, B.G. Mulimani, J.P. Oxley and B.L. Gallagher, 180° phase shift of phonon drag magnetothermopower oscillations in high mobility 2DEGs 263 (1992) 183
R. Côté and A.H. MacDonald, Frequency-dependent conductivity of a pinned Wigner crystal 263 (1992) 187
M. Ikegami and Y. Nagaoka, Electron motion on a curved interface 263 (1992) 193
P. Guéret, N. Blanc, R. Germann and H. Rothuizen, Vertical transport in Schottky-gated, laterally confined double-barrier quantum well heterostructures 263 (1992) 212
J. Spector, J.S. Weiner, H.L. Stormer, K.W. Baldwin, L.N. Pfeiffer and K.W. West, Ballistic electron optics 263 (1992) 240

R.P. Taylor, A.S. Sachrajda, J.A. Adams, P. Zawadzki, P.T. Coleridge and M. Davies, Classical and quantum transmission effects in submicron-size dots 263 (1992) 247
S. Tarucha, Y.K. Fukai, Y. Hirayama and T. Saku, Ballistic electron propagation in macroscopic four-terminal structures and its gate controlled transmission and reflection 263 (1992) 253
J. Wróbel, F. Kuchar, K.E. Ismail, K.Y. Lee, H. Nickel and W. Schlapp, Quantized conductance of a quasi-ballistic one-dimensional wire 263 (1992) 261
S. Yamada, M. Yamamoto and K. Aihara, Quantum oscillations of transverse resistance in series and single point-contact configurations 263 (1992) 265
C.A. Richter, R.G. Wheeler and R.N. Sacks, Overshoot of quantum Hall plateaus 263 (1992) 270
H. Nii, M. Ohsawa, S. Komiyama, S. Fukatsu, Y. Shiraki, R. Itoh and H. Toyoshima, Geometry-dependent resistances of two-dimensional electron gas at high magnetic fields 263 (1992) 275
G. Müller, E. Diessel, D. Weiss, K. von Klitzing, K. Ploog, H. Nickel, W. Schlapp and R. Lösch, Influence of interedge channel scattering on the magneto-transport of 2D-systems 263 (1992) 280
L.W. Molenkamp, M.J.P. Brugmans, H. van Houten, C.W.J. Beenakker and C.T. Foxon, Selective backscattering and the breakdown of the quantum Hall effect 263 (1992) 288
G. Hein, P. Schneider, L. Schweitzer, F.J. Ahlers, L. Bliek, H. Nicker, R. Lösch and W. Schlapp, Influence of a constriction on the longitudinal resistance of a 2DEG: effects of electrical fields and edge states 263 (1992) 293
A.K. Geim(Heym), P.C. Main, P.H. Beton, P. Středa, L. Eaves, C.D.W. Wilkinson and S.P. Beaumont, Non-local magnetoresistance at the crossover between the classical and quantum transport regimes 263 (1992) 298
K. Oto, S. Takaoka, K. Murase, S. Suyama and T. Serikawa, Nonlocal Shubnikov–de Haas effect in Si-MOSFETs 263 (1992) 303
A. Lorke, Static and dynamic conductivity of lateral superlattices 263 (1992) 307
D. Weiss, A. Menschig, K. von Klitzing and G. Weimann, Magnetoresistance in a grid-type lateral superlattice: the role of disorder 263 (1992) 314
K. Ensslin, S. Sasa, T. Deruelle and P.M. Petroff, Anisotropic electron transport through a rectangular antidot lattice 263 (1992) 319
R.R. Gerhardts and D. Pfannkuche, Magnetoresistance oscillations of a 2DEG in a weak lateral superlattice: manifestation of "Hofstadter's butterfly" 263 (1992) 324
G. Kirczenow, Quantum Hall and transmission resonances of quantum dot arrays: a possible spectroscopy of Hofstadter butterflies 263 (1992) 330
P. Vasilopoulos and H.C. Tso, Magnetotransport in Coulomb coupled quantum wires 263 (1992) 368
R.J. Haug, H. Munekata and L.L. Chang, One-dimensional electron transport on the surface channel of InAs quantum wells 263 (1992) 374
K. Ishibashi, Y. Aoyagi, S. Namba, Y. Ochiai, J.P. Bird and M. Kawabe, Conductance fluctuations in a narrow GaAs/AlGaAs split gate wire 263 (1992) 378
H. Higurashi, S. Iwabuchi and Y. Nagaoka, Conductance fluctuations in mesoscopic quantum wires near the ballistic regime 263 (1992) 382
Y. Ochiai, T. Onishi, J.P. Bird, M. Kawabe, K. Ishibashi, Y. Aoyagi and S. Namba, Size effect in the low temperature magnetoresistance of narrow GaAs/AlGaAs wires 263 (1992) 388
K. Tsubaki, T. Honda and Y. Tokura, Aharonov–Bohm effect under high magnetic field in a Corbino disk anti-dot channel 263 (1992) 392
L.J. Geerligs, The frequency-locked turnstile device for single electrons 263 (1992) 396
C. de Graaf, J.W.G. Wildöer, J. Caro, S. Radelaar and K. Heyers, Variable range hopping via a small number of localized states in nanometer scale MOSFETs 263 (1992) 409

R.J. Haug, J.M. Hong and K.Y. Lee, Electron transport through one quantum dot and through a string of quantum dots 263 (1992) 415
C. Pasquier, D.C. Glattli, U. Meirav, F.I.B. Williams, Y. Bin and B. Etienne, Coulomb blockade of tunneling in a 2D electron gas 263 (1992) 419
F.M. de Aguiar, D.A. Wharam, T. Heinzel, A. Lorke and J.P. Kotthaus, Gate-controlled conductance oscillations in small one-dimensional electron cavities 263 (1992) 428
F. Hirler, R. Küchler, R. Strenz, G. Abstreiter, G. Böhm, J. Smoliner, G. Tränkle and G. Weimann, Spatially direct and indirect optical transitions in shallow etched GaAs/AlGaAs quantum wires 263 (1992) 536
Y.J. Wang, B.D. McCombe and W. Schaff, Magnetic field induced metal–insulator transitions in modulation-doped multiple-quantum-well structures 263 (1992) 547
M. Lakrimi, C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575
M.J. Yang, W.J. Moore, R.J. Wagner, J.R. Waterman, C.H. Yang, P.E. Thompson and J.L. Davis, Properties of 2D electrons and associated bound donors in delta-doped InSb 263 (1992) 595
P.W. Adams, The conductivity and mobility of 2D nondegenerate electrons in the strong localization regime 263 (1992) 663
Yu.P. Monarkha, Low-temperature features of quantum magnetoconductance of a two-dimensional electron gas on a liquid helium surface 263 (1992) 668
M.J. Lea, A.O. Stone, P. Fozooni, P.J.M. Peters, A.M.L. Janssen and R.W. van der Heijden, A new low frequency propagating mode in a 2DEG in a magnetic field 263 (1992) 677

Contacts

S. Yamada, M. Yamamoto and K. Aihara, Quantum oscillations of transverse resistance in series and single point-contact configurations 263 (1992) 265

Cyclotron resonance studies

M. Lakrimi, C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575
M. Besson, E. Gornik, G. Böhm and G. Weimann, Screening effects in the cyclotron resonance of 2D electrons in GaAs/AlGaAs heterostructures and single quantum wells 263 (1992) 650
F.M. Peeters, X.-G. Wu, J.T. Devreese, M. Watts, R.J. Nicholas, D.F. Howell, L. van Bockstal, F. Herlach, C.J.G.M. Langerak, J. Singleton and A. Chevy, Resonant magnetopolaron coupling to both polar and neutral optical phonons in the layer compound InSe 263 (1992) 654

Electron scattering

J. Spector, J.S. Weiner, H.L. Stormer, K.W. Baldwin, L.N. Pfeiffer and K.W. West, Ballistic electron optics 263 (1992) 240
T.J. Gramila, J.P. Eisenstein, A.H. MacDonald, L.N. Pfeiffer and K.W. West, Electron–electron scattering between parallel two-dimensional electron gases 263 (1992) 446

Gallium antimonide

M. Lakrimi, C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575

A.P. Dmitriev, S.A. Emelyanov, S.V. Ivanov, P.S. Kop'ev, Ya.V. Terent'ev and I.D. Yaroshetsky, Photon-drag current in 2DEG in the vicinity of cyclotron resonance and its first subharmonic 263 (1992) 659

Gallium arsenide

A.J. Turberfield, S.R. Haynes, P.A. Wright, R.A. Ford, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Optical spectroscopy of correlated phases of degenerate two-dimensional electrons 263 (1992) 1
B.B. Goldberg, D. Heiman, A. Pinczuk, L.N. Pfeiffer and K.W. West, Magneto-optics in the integer and fractional quantum Hall and electron solid regimes 263 (1992) 9
H.W. Jiang, H.L. Stormer, D.C. Tsui, L.N. Pfeiffer and K.W. West, Transport measurements on the electronic phases around $\nu = 1/5$ Landau level filling 263 (1992) 18
F.I.B. Williams, G. Deville, D.C. Glattli, P.A. Wright, E.Y. Andrei, R.G. Clark, B. Etienne, C.T. Foxon and J.J. Harris, Wigner solid in random field: rigidity, pinning frequency and conduction threshold 263 (1992) 23
I.V. Kukushkin, N.J. Pulsford, K. von Klitzing, K. Ploog and V.B. Timofeev, Magnetooptics of the incompressible Fermi liquid and of the Wigner solid 263 (1992) 30
M. Hayne, M.K. Ellis, A.S. Plaut, A. Usher and K. Ploog, Temperature dependence of the luminescence from a two-dimensional electron system in the Wigner solid regime 263 (1992) 39
L.W. Engel, T. Sajoto, Y.P. Li, D.C. Tsui and M. Shayegan, Studies of the reentrant insulating phase around the $\frac{1}{5}$ FQH liquid: I–V curves, noise, RF bias 263 (1992) 44
S.W. Hwang, J.A. Simmons, D.C. Tsui and M. Shayegan, Quasiparticle charge of 1/3 FQH liquid from resistance fluctuation measurements 263 (1992) 72
R. Meisels, F. Kuchar, J.J. Harris and C.T. Foxon, Microwave response of quasi-particles in the FQHE 263 (1992) 76
A.G. Davies, R. Newbury, M. Pepper, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, The fractional quantum Hall effect in high mobility two-dimensional hole gases 263 (1992) 81
P.F. Fontein, P. Hendriks, F.A.P. Blom, J.H. Wolter, L.J. Giling and C.W.J. Beenakker, Spatial potential distribution in GaAs/Al_xGa_{1-x}As heterostructures under quantum Hall conditions studied with the linear electro-optic effect 263 (1992) 91
S. Koch, R.J. Haug, K. von Klitzing and K. Ploog, Direct measurement of critical exponents in the quantum Hall regime 263 (1992) 108
A. Hartland, K. Jones, J.M. Williams, T. Galloway, B.L. Gallagher, C.R.H. White and M. Henini, A direct comparison of the quantized Hall resistance in high critical current gallium arsenide and silicon devices 263 (1992) 112
C.T. Van Degrift, K. Yoshihiro, M.E. Cage, D. Yu, K. Segawa, J. Kinoshita and T. Endo, Anomalously offset quantized Hall plateaus in high-mobility Si-MOSFETs 263 (1992) 116
J.I. Lee, P.J. Stiles and M. Heiblum, Capacitively-coupled measurements on the frequency dependent diagonal magnetoconductance of a 2DEG in GaAs heterostructure in the quantum Hall regime 263 (1992) 120
P. Matthews, M.J. Kelly, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, Interactions between hot injected electrons and the cold electrons in the two-dimensional electron gas base of a vertical hot electron transistor 263 (1992) 141
Y.W. Suen, J. Jo, M.B. Santos, L.W. Engel and M. Shayegan, Magnetostransport properties of double-layer systems in wide single quantum wells 263 (1992) 152
H. Shao, H. Zheng and Y. Li, A new method for measuring the effective diffusion constant of two-dimensional electrons in the presence of magnetic fields 263 (1992) 167

X.L. Lei, N.J.M. Horing and H.L. Cui, Superlattice Bloch electron conduction and negative differential mobility 263 (1992) 172
J. Smoliner, W. Demmerle, F. Hirler, E. Gornik, G. Böhm and G. Weimann, Tunneling processes between quantum wires and two-dimensional electron states 263 (1992) 207
P. Guéret, N. Blanc, R. Germann and H. Rothuizen, Vertical transport in Schottky-gated, laterally confined double-barrier quantum well heterostructures 263 (1992) 212
T. Takamasu, N. Miura, K. Taira, K. Funato and H. Kawai, Quantum transport phenomena in InAs/GaSb/InAs tunneling devices under high magnetic fields 263 (1992) 217
P. Basmaji, A.C. Notari, B. Schrappe, M.H. Degani, L. Ioriatti and O. Hipólito, Tunneling spectroscopy and miniband structure of selenium delta-doped GaAs 263 (1992) 231
A. Nogaret and J.C. Portal, Calculated contribution of localised LO phonon modes to the valley current of a double-barrier diode 263 (1992) 234
J. Spector, J.S. Weiner, H.L. Stormer, K.W. Baldwin, L.N. Pfeiffer and K.W. West, Ballistic electron optics 263 (1992) 240
R.P. Taylor, A.S. Sachrajda, J.A. Adams, P. Zawadzki, P.T. Coleridge and M. Davies, Classical and quantum transmission effects in submicron-size dots 263 (1992) 247
S. Tarucha, Y.K. Fukai, Y. Hirayama and T. Saku, Ballistic electron propagation in macroscopic four-terminal structures and its gate controlled transmission and reflection 263 (1992) 253
J. Wróbel, F. Kuchar, K.E. Ismail, K.Y. Lee, H. Nickel and W. Schlapp, Quantized conductance of a quasi-ballistic one-dimensional wire 263 (1992) 261
C.A. Richter, R.G. Wheeler and R.N. Sacks, Overshoot of quantum Hall plateaus 263 (1992) 270
H. Nii, M. Ohsawa, S. Komiyama, S. Fukatsu, Y. Shiraki, R. Itoh and H. Toyoshima, Geometry-dependent resistances of two-dimensional electron gas at high magnetic fields 263 (1992) 275
L.W. Molenkamp, M.J.P. Brugmans, H. van Houten, C.W.J. Beenakker and C.T. Foxon, Selective backscattering and the breakdown of the quantum Hall effect 263 (1992) 288
G. Hein, P. Schneider, L. Schweitzer, F.J. Ahlers, L. Bliek, H. Nickel, R. Lösch and W. Schlapp, Influence of a constriction on the longitudinal resistance of a 2DEG: effects of electrical fields and edge states 263 (1992) 293
A.K. Geim(Heym), P.C. Main, P.H. Beton, P. Středa, L. Eaves, C.D.W. Wilkinson and S.P. Beaumont, Non-local magnetoresistance at the crossover between the classical and quantum transport regimes 263 (1992) 298
A. Lorke, Static and dynamic conductivity of lateral superlattices 263 (1992) 307
D. Weiss, A. Menschig, K. von Klitzing and G. Weimann, Magnetoresistance in a grid-type lateral superlattice: the role of disorder 263 (1992) 314
K. Ensslin, S. Sasa, T. Deruelle and P.M. Petroff, Anisotropic electron transport through a rectangular antidot lattice 263 (1992) 319
A.S. Plaut, H. Lage, P. Grambow, D. Heitmann, K. von Klitzing and K. Ploog, Direct magneto-optical observation of a quantum confined one-dimensional electron gas 263 (1992) 341
J.M. Calleja, A.R. Goñi, B.S. Dennis, J.S. Weiner, A. Pinczuk, S. Schmitt-Rink, L.N. Pfeiffer, K.W. West, J.F. Müller and A.E. Ruckenstein, Optical singularities of the one-dimensional electron gas in semiconductor quantum wires 263 (1992) 346
S. Katayama, Far-infrared transmission spectra of laterally confined 2D plasma in quantum wires: influence of a magnetic field 263 (1992) 359
K. Ishibashi, Y. Aoyagi, S. Namba, Y. Ochiai, J.P. Bird and M. Kawabe, Conductance fluctuations in a narrow GaAs/AlGaAs split gate wire 263 (1992) 378
Y. Ochiai, T. Onishi, J.P. Bird, M. Kawabe, K. Ishibashi, Y. Aoyagi and S. Namba, Size effect in the low temperature magnetoresistance of narrow GaAs/AlGaAs wires 263 (1992) 388

K. Tsubaki, T. Honda and Y. Tokura, Aharonov–Bohm effect under high magnetic field in a Corbino disk anti-dot channel 263 (1992) 392
L.P. Kouwenhoven, A.T. Johnson, N.C. van der Vaart, D.J. Maas, C.J.P.M. Harmans and C.T. Foxon, Quantized current in a quantum dot turnstile 263 (1992) 405
R.J. Haug, J.M. Hong and K.Y. Lee, Electron transport through one quantum dot and through a string of quantum dots 263 (1992) 415
C. Pasquier, D.C. Glattli, U. Meirav, F.I.B. Williams, Y. Bin and B. Etienne, Coulomb blockade of tunneling in a 2D electron gas 263 (1992) 419
M.W. Dellow, C.J.G.M. Langerak, P.H. Beton, T.J. Foster, P.C. Main, L. Eaves, M. Henini, S.P. Beaumont and C.D.W. Wilkinson, Single electron tunnelling through a donor state in a gated resonant tunnelling device 263 (1992) 438
T.J. Gramila, J.P. Eisenstein, A.H. MacDonald, L.N. Pfeiffer and K.W. West, Electron–electron scattering between parallel two-dimensional electron gases 263 (1992) 446
K. Karraï, X. Ying, H.D. Drew, M.B. Santos, M. Shayegan, S.-R.E. Yang and A.H. MacDonald, Magneto-rotons in wide parabolic quantum wells 263 (1992) 451
L.V. Butov, V.D. Kulakovskii, T.G. Andersson, A. Forchel and D. Grützmacher, Many-body effects in dense electron–hole plasma in InGaAs QWs with simple and complex valence band 263 (1992) 457
C.I. Harris, H. Kalt, B. Monemar and K. Köhler, Screening and correlation effects in degenerately center doped GaAs/AlGaAs single quantum wells 263 (1992) 462
I. Grodnensky, D. Heitmann and K. von Klitzing, Single-particle and many-body effects in the edge magnetoplasma excitations of a two-dimensional electron system 263 (1992) 467
D. Gammon, B.V. Shanabrook, J.C. Ryan, G. Brozak and D.S. Katzer, Exchange and correlation in quasi-two-dimensional plasmas in quantum well structures 263 (1992) 471
R.J. Wilkinson, C.D. Ager and H.P. Hughes, Plasmon excitation by dual optical couplers 263 (1992) 475
B. Deveaud, F. Clérot, N. Roy, B. Sermage and D.S. Katzer, Enhanced radiative recombination of free excitons in GaAs quantum wells 263 (1992) 491
A. Zrenner, P. Leeb, J. Schäfer, G. Böhm, G. Weimann, J.M. Worlock, L.T. Florez and J.P. Harbison, Indirect excitons in coupled quantum well structures 263 (1992) 496
J.A. Kash, M. Zachau, E.E. Mendez, J.M. Hong and T. Fukuzawa, Thermodynamics of excitons in coupled quantum wells 263 (1992) 502
A. Shimizu, T. Ogawa and H. Sakaki, Two-photon absorption spectra of low-dimensional semiconductors 263 (1992) 512
M. Helm, F.M. Peeters, F. DeRosa, E. Colas, J.P. Harbison and L.T. Florez, Infrared spectroscopy of subbands, minibands, and donors in GaAs/AlGaAs superlattices 263 (1992) 518
B. Jusserand, D. Richards, B. Etienne, H. Peric and G. Fasol, Electronic Raman scattering on highly doped single quantum wells 263 (1992) 527
H. Schneider, J. Wagner, K. Ploog and K. Fujiwara, Multiply resonant Raman scattering in Stark ladder superlattices 263 (1992) 531
F. Hirler, R. Küchler, R. Strenz, G. Abstreiter, G. Böhm, J. Smoliner, G. Tränkle and G. Weimann, Spatially direct and indirect optical transitions in shallow etched GaAs/AlGaAs quantum wires 263 (1992) 536
Y.J. Wang, B.D. McCombe and W. Schaff, Magnetic field induced metal–insulator transitions in modulation-doped multiple-quantum-well structures 263 (1992) 547
D.M. Whittaker, T.A. Fisher, P.E. Simmonds, M.S. Skolnick, R.S. Smith, L.L. Taylor and S.J. Bass, Magnetic field induced indirect gap in a modulation doped quantum well 263 (1992) 549
J. Nunnenkamp, K. Reimann, J. Kuhl and K. Ploog, Kinetics of pressure induced Γ–χ electron transfer in a type-I superlattice 263 (1992) 553

B. Monemar, P.O. Holtz, P. Bergman, C.I. Harris, H. Kalt, M. Sundaram, J.L. Merz and A.C. Gossard, Effects of localization on optical spectra for shallow acceptors in center-doped GaAs/AlGaAs multiple quantum wells 263 (1992) 556
S. Huant, A. Mandray, G. Martinez, M. Grynberg and B. Etienne, Electronic properties of two-dimensional D^- centres 263 (1992) 565
U. Ekenberg and D. Richards, Utilization of a piezoelectric field in a one-sided-doped quantum well 263 (1992) 580
F. Bechstedt and H. Gerecke, Resonant decay of pair excitations of a 2D hole gas into optical phonons 263 (1992) 585
M. Potemski, Y.H. Zhang, M. Hausenblas, J.C. Maan, G. Martinez and K. Ploog, Filling factor dependent Landau level broadening studied with inter- and intraband magneto-optics in GaInAs/AlInAs MDQWs 263 (1992) 591
S. Sasaki and N. Miura, Magneto-optical investigation of energy band structure in $GaAs/Al_xGa_{1-x}As$ short period superlattices under pulsed high magnetic fields 263 (1992) 600
Y. Murayama and J.-i. Kasai, Experimental determination of effective mass within the energy gap 263 (1992) 604
K. Hirose and H. Kamimura, The electronic structures of a GaAs/AlAs Fibonacci superlattice 263 (1992) 609
W.E. Leitch, C.M. Sotomayor Torres, D. Lootens, S. Thoms, P. van Daele, C.R. Stanley, P. Demeester and S.P. Beaumont, Luminescence studies from wires of varying aspect ratio in GaAs/GaAlAs quantum wells 263 (1992) 622
J. Wagner, P. Ganser, K. Köhler, A. Fischer and K. Ploog, Fermi edge singularity and screening effects in the luminescence spectra of Si or Be δ-doped GaAs 263 (1992) 628
M. Fritze, W. Chen, W. Wałecki, A.V. Nurmikko, J.M. Hong and L.L. Chang, Fermi-edge singularities as probes of a two-dimensional electron gas in GaAs heterostructures 263 (1992) 633
M. Dahl, D. Heiman, A. Pinczuk, B.B. Goldberg, L.N. Pfeiffer and K.W. West, Time-resolved optical recombination in the quantum Hall regime 263 (1992) 638
A. Fujiwara, S. Fukatsu, Y. Shiraki and R. Itoh, Observation of resonant electron capture in AlGaAs/GaAs quantum well structures 263 (1992) 642
P.E. Simmonds, M.S. Skolnick, T.A. Fisher, K.J. Nash and R.S. Smith, Many body resonant polaron interaction in quantum wells containing high densities of free carriers 263 (1992) 646
M. Besson, E. Gornik, G. Böhm and G. Weimann, Screening effects in the cyclotron resonance of 2D electrons in GaAs/AlGaAs heterostructures and single quantum wells 263 (1992) 650

Germanium

F.F. Fang, P.J. Wang, B.S. Meyerson, J.J. Nocera and K.E. Ismail, Two-dimensional hole gas in Si/SiGe heterostructures 263 (1992) 175
L.J. Geerligs, The frequency-locked turnstile device for single electrons 263 (1992) 396

Hall effect

L.W. Engel, T. Sajoto, Y.P. Li, D.C. Tsui and M. Shayegan, Studies of the reentrant insulating phase around the $\frac{1}{5}$ FQH liquid: I–V curves, noise, RF bias 263 (1992) 44
S.V. Kravchenko, J.A.A.J. Perenboom and V.M. Pudalov, Evidence for two-dimensional electron solid in Si inversion layers 263 (1992) 55
H.A. Fertig and S. Das Sarma, Behavior of electrons at soft edges in the fractional quantum Hall and Wigner crystal states 263 (1992) 60
J.K. Jain, Strongly correlated fractional quantum Hall states: description in terms of weakly interacting composite fermions 263 (1992) 65

R. Meisels, F. Kuchar, J.J. Harris and C.T. Foxon, Microwave response of quasi-particles in the FQHE 263 (1992) 76
A.G. Davies, R. Newbury, M. Pepper, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, The fractional quantum Hall effect in high mobility two-dimensional hole gases 263 (1992) 81
S. He, X.C. Xie and S. Das Sarma, Fractional quantum Hall effect in thick layers and double quantum well systems 263 (1992) 87
P.F. Fontein, P. Hendriks, F.A.P. Blom, J.H. Wolter, L.J. Giling and C.W.J. Beenakker, Spatial potential distribution in GaAs/Al_xGa_{1-x}As heterostructures under quantum Hall conditions studied with the linear electro-optic effect 263 (1992) 91
U. Klass, W. Dietsche, K. von Klitzing and K. Ploog, Image of the dissipation in gated quantum Hall effect samples 263 (1992) 97
J. Wakabayashi, Hall effect and localization in the Landau subbands of Si inversion layers 263 (1992) 100
S. Koch, R.J. Haug, K. von Klitzing and K. Ploog, Direct measurement of critical exponents in the quantum Hall regime 263 (1992) 108
A. Hartland, K. Jones, J.M. Williams, T. Galloway, B.L. Gallagher, C.R.H. White and M. Henini, A direct comparison of the quantized Hall resistance in high critical current gallium arsenide and silicon devices 263 (1992) 112
C.T. Van Degrift, K. Yoshihiro, M.E. Cage, D. Yu, K. Segawa, J. Kinoshita and T. Endo, Anomalously offset quantized Hall plateaus in high-mobility Si-MOSFETs 263 (1992) 116
B. Huckestein, B. Kramer and L. Schweitzer, Characterization of the electronic states near the centres of the Landau bands under quantum Hall conditions 263 (1992) 125
T. Ohtsuki, Y. Ono and B. Kramer, Electronic states in disordered layered systems in the quantum Hall regime 263 (1992) 134
H. Aoki, The quantum Hall effect in anomalous band structures 263 (1992) 137
P. Matthews, M.J. Kelly, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, Interactions between hot injected electrons and the cold electrons in the two-dimensional electron gas base of a vertical hot electron transistor 263 (1992) 141
X.-m. Feng, J.J. Mares, M.E. Raikh, F. Koch, D. Grützmacher and A. Kohl, Magnetotransport in planar doping structures 263 (1992) 147
Y.W. Suen, J. Jo, M.B. Santos, L.W. Engel and M. Shayegan, Magnetostransport properties of double-layer systems in wide single quantum wells 263 (1992) 152
C.A. Richter, R.G. Wheeler and R.N. Sacks, Overshoot of quantum Hall plateaus 263 (1992) 270
L.W. Molenkamp, M.J.P. Brugmans, H. van Houten, C.W.J. Beenakker and C.T. Foxon, Selective backscattering and the breakdown of the quantum Hall effect 263 (1992) 288
K. Ensslin, S. Sasa, T. Deruelle and P.M. Petroff, Anisotropic electron transport through a rectangular antidot lattice 263 (1992) 319
G. Kirczenow, Quantum Hall and transmission resonances of quantum dot arrays: a possible spectroscopy of Hofstadter butterflies 263 (1992) 330

Heterostructures

A.J. Turberfield, S.R. Haynes, P.A. Wright, R.A. Ford, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Optical spectroscopy of correlated phases of degenerate two-dimensional electrons 263 (1992) 1
H.W. Jiang, H.L. Stormer, D.C. Tsui, L.N. Pfeiffer and K.W. West, Transport measurements on the electronic phases around $\nu = 1/5$ Landau level filling 263 (1992) 18
F.I.B. Williams, G. Deville, D.C. Glattli, P.A. Wright, E.Y. Andrei, R.G. Clark, B. Etienne, C.T. Foxon and J.J. Harris, Wigner solid in random field: rigidity, pinning frequency and conduction threshold 263 (1992) 23

I.V. Kukushkin, N.J. Pulsford, K. von Klitzing, K. Ploog and V.B. Timofeev, Magnetooptics of the incompressible Fermi liquid and of the Wigner solid 263 (1992) 30
M. Hayne, M.K. Ellis, A.S. Plaut, A. Usher and K. Ploog, Temperature dependence of the luminescence from a two-dimensional electron system in the Wigner solid regime 263 (1992) 39
L.W. Engel, T. Sajoto, Y.P. Li, D.C. Tsui and M. Shayegan, Studies of the reentrant insulating phase around the $\frac{1}{5}$ FQH liquid: I–V curves, noise, RF bias 263 (1992) 44
S.W. Hwang, J.A. Simmons, D.C. Tsui and M. Shayegan, Quasiparticle charge of 1/3 FQH liquid from resistance fluctuation measurements 263 (1992) 72
R. Meisels, F. Kuchar, J.J. Harris and C.T. Foxon, Microwave response of quasi-particles in the FQHE 263 (1992) 76
A.G. Davies, R. Newbury, M. Pepper, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, The fractional quantum Hall effect in high mobility two-dimensional hole gases 263 (1992) 81
P.F. Fontein, P. Hendriks, F.A.P. Blom, J.H. Wolter, L.J. Giling and C.W.J. Beenakker, Spatial potential distribution in GaAs/Al_xGa_{1-x}As heterostructures under quantum Hall conditions studied with the linear electro-optic effect 263 (1992) 91
S. Koch, R.J. Haug, K. von Klitzing and K. Ploog, Direct measurement of critical exponents in the quantum Hall regime 263 (1992) 108
A. Hartland, K. Jones, J.M. Williams, T. Galloway, B.L. Gallagher, C.R.H. White and M. Henini, A direct comparison of the quantized Hall resistance in high critical current gallium arsenide and silicon devices 263 (1992) 112
J.I. Lee, P.J. Stiles and M. Heiblum, Capacitively-coupled measurements on the frequency dependent diagonal magnetoconductance of a 2DEG in GaAs heterostructure in the quantum Hall regime 263 (1992) 120
H. Shao, H. Zheng and Y. Li, A new method for measuring the effective diffusion constant of two-dimensional electrons in the presence of magnetic fields 263 (1992) 167
F.F. Fang, P.J. Wang, B.S. Meyerson, J.J. Nocera and K.E. Ismail, Two-dimensional hole gas in Si/SiGe heterostructures 263 (1992) 175
P. Guéret, N. Blanc, R. Germann and H. Rothuizen, Vertical transport in Schottky-gated, laterally confined double-barrier quantum well heterostructures 263 (1992) 212
J. Spector, J.S. Weiner, H.L. Stormer, K.W. Baldwin, L.N. Pfeiffer and K.W. West, Ballistic electron optics 263 (1992) 240
C.A. Richter, R.G. Wheeler and R.N. Sacks, Overshoot of quantum Hall plateaus 263 (1992) 270
H. Nii, M. Ohsawa, S. Komiyama, S. Fukatsu, Y. Shiraki, R. Itoh and H. Toyoshima, Geometry-dependent resistances of two-dimensional electron gas at high magnetic fields 263 (1992) 275
L.W. Molenkamp, M.J.P. Brugmans, H. van Houten, C.W.J. Beenakker and C.T. Foxon, Selective backscattering and the breakdown of the quantum Hall effect 263 (1992) 288
G. Hein, P. Schneider, L. Schweitzer, F.J. Ahlers, L. Bliek, H. Nickel, R. Lösch and W. Schlapp, Influence of a constriction on the longitudinal resistance of a 2DEG: effects of electrical fields and edge states 263 (1992) 293
K. Ensslin, S. Sasa, T. Deruelle and P.M. Petroff, Anisotropic electron transport through a rectangular antidot lattice 263 (1992) 319
R.J. Haug, H. Munekata and L.L. Chang, One-dimensional electron transport on the surface channel of InAs quantum wells 263 (1992) 374
K. Ishibashi, Y. Aoyagi, S. Namba, Y. Ochiai, J.P. Bird and M. Kawabe, Conductance fluctuations in a narrow GaAs/AlGaAs split gate wire 263 (1992) 378
Y. Ochiai, T. Onishi, J.P. Bird, M. Kawabe, K. Ishibashi, Y. Aoyagi and S. Namba, Size effect in the low temperature magnetoresistance of narrow GaAs/AlGaAs wires 263 (1992) 388

L.P. Kouwenhoven, A.T. Johnson, N.C. van der Vaart, D.J. Maas, C.J.P.M. Harmans and C.T. Foxon, Quantized current in a quantum dot turnstile 263 (1992) 405
C. Pasquier, D.C. Glattli, U. Meirav, F.I.B. Williams, Y. Bin and B. Etienne, Coulomb blockade of tunneling in a 2D electron gas 263 (1992) 419
F.M. de Aguiar, D.A. Wharam, T. Heinzel, A. Lorke and J.P. Kotthaus, Gate-controlled conductance oscillations in small one-dimensional electron cavities 263 (1992) 428
I. Grodnensky, D. Heitmann and K. von Klitzing, Single-particle and many-body effects in the edge magnetoplasma excitations of a two-dimensional electron system 263 (1992) 467
R.J. Wilkinson, C.D. Ager and H.P. Hughes, Plasmon excitation by dual optical couplers 263 (1992) 475
J.A. Kash, M. Zachau, E.E. Mendez, J.M. Hong and T. Fukuzawa, Thermodynamics of excitons in coupled quantum wells 263 (1992) 502
A. Shimizu, T. Ogawa and H. Sakaki, Two-photon absorption spectra of low-dimensional semiconductors 263 (1992) 512
Y.J. Wang, B.D. McCombe and W. Schaff, Magnetic field induced metal–insulator transitions in modulation-doped multiple-quantum-well structures 263 (1992) 547
Y. Garini, E. Cohen, E. Ehrenfreund, A. Ron, K.K. Law, J.L. Merz and A.C. Gossard, Photoinduced intersubband absorption in n-type well- and barrier-doped quantum wells 263 (1992) 561
M. Lakrimi, C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575
M. Fritze, W. Chen, W. Wałecki, A.V. Nurmikko, J.M. Hong and L.L. Chang, Fermi-edge singularities as probes of a two-dimensional electron gas in GaAs heterostructures 263 (1992) 633
M. Dahl, D. Heiman, A. Pinczuk, B.B. Goldberg, L.N. Pfeiffer and K.W. West, Time-resolved optical recombination in the quantum Hall regime 263 (1992) 638
A. Fujiwara, S. Fukatsu, Y. Shiraki and R. Itoh, Observation of resonant electron capture in AlGaAs/GaAs quantum well structures 263 (1992) 642
M. Besson, E. Gornik, G. Böhm and G. Weimann, Screening effects in the cyclotron resonance of 2D electrons in GaAs/AlGaAs heterostructures and single quantum wells 263 (1992) 650

Indium antimonide

M.J. Yang, W.J. Moore, R.J. Wagner, J.R. Waterman, C.H. Yang, P.E. Thompson and J.L. Davis, Properties of 2D electrons and associated bound donors in delta-doped InSb 263 (1992) 595

Indium arsenide

T. Takamasu, N. Miura, K. Taira, K. Funato and H. Kawai, Quantum transport phenomena in InAs/GaSb/InAs tunneling devices under high magnetic fields 263 (1992) 217
R. Winkler, U. Kunze and U. Rössler, Tunneling spectroscopy of a 2DEG in InAs: experiment and theory 263 (1992) 222
R.J. Haug, H. Munekata and L.L. Chang, One-dimensional electron transport on the surface channel of InAs quantum wells 263 (1992) 374
L.V. Butov, V.D. Kulakovskii, T.G. Andersson, A. Forchel and D. Grützmacher, Many-body effects in dense electron–hole plasma in InGaAs QWs with simple and complex valence band 263 (1992) 457
D.M. Whittaker, T.A. Fisher, P.E. Simmonds, M.S. Skolnick, R.S. Smith, L.L. Taylor and S.J. Bass, Magnetic field induced indirect gap in a modulation doped quantum well 263 (1992) 549

M. Lakrimi, C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575
M. Potemski, Y.H. Zhang, M. Hausenblas, J.C. Maan, G. Martinez and K. Ploog, Filling factor dependent Landau level broadening studied with inter- and intraband magneto-optics in GaInAs/AlInAs MDQWs 263 (1992) 591
P.E. Simmonds, M.S. Skolnick, T.A. Fisher, K.J. Nash and R.S. Smith, Many body resonant polaron interaction in quantum wells containing high densities of free carriers 263 (1992) 646
A.P. Dmitriev, S.A. Emelyanov, S.V. Ivanov, P.S. Kop'ev, Ya.V. Terent'ev and I.D. Yaroshetsky, Photon-drag current in 2DEG in the vicinity of cyclotron resonance and its first subharmonic 263 (1992) 659

Indium phosphide
X.-m. Feng, J.J. Mares, M.E. Raikh, F. Koch, D. Grützmacher and A. Kohl, Magnetotransport in planar doping structures 263 (1992) 147

Infrared spectroscopy
V.A. Chitta, R.E.M. de Bekker, J.C. Maan, S.J. Hawksworth, J.M. Chamberlain, M. Henini and G. Hill, Far infrared response of double barrier resonant tunneling structures 263 (1992) 227
S. Katayama, Far-infrared transmission spectra of laterally confined 2D plasma in quantum wires: influence of a magnetic field 263 (1992) 359
R.J. Wilkinson, C.D. Ager and H.P. Hughes, Plasmon excitation by dual optical couplers 263 (1992) 475
T. Ogawa and T. Takagahara, Excitonic absorption spectra and Sommerfeld factors of one-dimensional systems 263 (1992) 506
M. Helm, F.M. Peeters, F. DeRosa, E. Colas, J.P. Harbison and L.T. Florez, Infrared spectroscopy of subbands, minibands, and donors in GaAs/AlGaAs superlattices 263 (1992) 518
Y.J. Wang, B.D. McCombe and W. Schaff, Magnetic field induced metal–insulator transitions in modulation-doped multiple-quantum-well structures 263 (1992) 547
Y. Garini, E. Cohen, E. Ehrenfreund, A. Ron, K.K. Law, J.L. Merz and A.C. Gossard, Photoinduced intersubband absorption in n-type well- and barrier-doped quantum wells 263 (1992) 561
S. Huant, A. Mandray, G. Martinez, M. Grynberg and B. Etienne, Electronic properties of two-dimensional D^- centres 263 (1992) 565

Luminescence
A.J. Turberfield, S.R. Haynes, P.A. Wright, R.A. Ford, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Optical spectroscopy of correlated phases of degenerate two-dimensional electrons 263 (1992) 1
B.B. Goldberg, D. Heiman, A. Pinczuk, L.N. Pfeiffer and K.W. West, Magneto-optics in the integer and fractional quantum Hall and electron solid regimes 263 (1992) 9
I.V. Kukushkin, N.J. Pulsford, K. von Klitzing, K. Ploog and V.B. Timofeev, Magnetooptics of the incompressible Fermi liquid and of the Wigner solid 263 (1992) 30
M. Hayne, M.K. Ellis, A.S. Plaut, A. Usher and K. Ploog, Temperature dependence of the luminescence from a two-dimensional electron system in the Wigner solid regime 263 (1992) 39
A.S. Plaut, H. Lage, P. Grambow, D. Heitmann, K. von Klitzing and K. Ploog, Direct magneto-optical observation of a quantum confined one-dimensional electron gas 263 (1992) 341

J.M. Calleja, A.R. Goñi, B.S. Dennis, J.S. Weiner, A. Pinczuk, S. Schmitt-Rink, L.N. Pfeiffer, K.W. West, J.F. Müller and A.E. Ruckenstein, Optical singularities of the one-dimensional electron gas in semiconductor quantum wires 263 (1992) 346
L.V. Butov, V.D. Kulakovskii, T.G. Andersson, A. Forchel and D. Grützmacher, Many-body effects in dense electron–hole plasma in InGaAs QWs with simple and complex valence band 263 (1992) 457
C.I. Harris, H. Kalt, B. Monemar and K. Köhler, Screening and correlation effects in degenerately center doped GaAs/AlGaAs single quantum wells 263 (1992) 462
G.E.W. Bauer, Magnetic-field-induced excitonic instability in the 2D electron gas 263 (1992) 482
D.R. Yakovlev, I.N. Uraltsev, W. Ossau, G. Landwehr, R.N. Bicknell-Tassius, A. Waag and S. Schmeusser, Two-dimensional exciton magnetic polaron in semimagnetic quantum wells 263 (1992) 485
B. Deveaud, F. Clérot, N. Roy, B. Sermage and D.S. Katzer, Enhanced radiative recombination of free excitons in GaAs quantum wells 263 (1992) 491
A. Zrenner, P. Leeb, J. Schäfer, G. Böhm, G. Weimann, J.M. Worlock, L.T. Florez and J.P. Harbison, Indirect excitons in coupled quantum well structures 263 (1992) 496
J.A. Kash, M. Zachau, E.E. Mendez, J.M. Hong and T. Fukuzawa, Thermodynamics of excitons in coupled quantum wells 263 (1992) 502
F. Hirler, R. Küchler, R. Strenz, G. Abstreiter, G. Böhm, J. Smoliner, G. Tränkle and G. Weimann, Spatially direct and indirect optical transitions in shallow etched GaAs/AlGaAs quantum wires 263 (1992) 536
D.M. Whittaker, T.A. Fisher, P.E. Simmonds, M.S. Skolnick, R.S. Smith, L.L. Taylor and S.J. Bass, Magnetic field induced indirect gap in a modulation doped quantum well 263 (1992) 549
J. Nunnenkamp, K. Reimann, J. Kuhl and K. Ploog, Kinetics of pressure induced Γ–χ electron transfer in a type-I superlattice 263 (1992) 553
Y. Garini, E. Cohen, E. Ehrenfreund, A. Ron, K.K. Law, J.L. Merz and A.C. Gossard, Photoinduced intersubband absorption in n-type well- and barrier-doped quantum wells 263 (1992) 561
E. Deleporte, G. Peter, J.M. Berroir, C. Delalande, J.M. Hong and L.L. Chang, Temperature dependence of the magneto-optical properties of a CdTe/$Cd_{1-x}Mn_xTe$ multiquantum well structure 263 (1992) 570
M. Potemski, Y.H. Zhang, M. Hausenblas, J.C. Maan, G. Martinez and K. Ploog, Filling factor dependent Landau level broadening studied with inter- and intraband magneto-optics in GaInAs/AlInAs MDQWs 263 (1992) 591
S. Sasaki and N. Miura, Magneto-optical investigation of energy band structure in GaAs/$Al_xGa_{1-x}As$ short period superlattices under pulsed high magnetic fields 263 (1992) 600
Y. Murayama and J.-i. Kasai, Experimental determination of effective mass within the energy gap 263 (1992) 604
S.R. Haynes, R.A. Ford, A.J. Turberfield, P.A. Wright, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Luminescence from the degenerate two-dimensional electrons at an ultrahigh mobility heterojunction 263 (1992) 614
T. Uenoyama and L.J. Sham, Effect of hole relaxation and uniaxial stress on luminescence polarization in quantum wells 263 (1992) 618
W.E. Leitch, C.M. Sotomayor Torres, D. Lootens, S. Thoms, P. van Daele, C.R. Stanley, P. Demeester and S.P. Beaumont, Luminescence studies from wires of varying aspect ratio in GaAs/GaAlAs quantum wells 263 (1992) 622
J. Wagner, P. Ganser, K. Köhler, A. Fischer and K. Ploog, Fermi edge singularity and screening effects in the luminescence spectra of Si or Be δ-doped GaAs 263 (1992) 628
M. Fritze, W. Chen, W. Wałecki, A.V. Nurmikko, J.M. Hong and L.L. Chang, Fermi-edge singularities as probes of a two-dimensional electron gas in GaAs heterostructures 263 (1992) 633

M. Dahl, D. Heiman, A. Pinczuk, B.B. Goldberg, L.N. Pfeiffer and K.W. West, Time-resolved optical recombination in the quantum Hall regime 263 (1992) 638
A. Fujiwara, S. Fukatsu, Y. Shiraki and R. Itoh, Observation of resonant electron capture in AlGaAs/GaAs quantum well structures 263 (1992) 642
P.E. Simmonds, M.S. Skolnick, T.A. Fisher, K.J. Nash and R.S. Smith, Many body resonant polaron interaction in quantum wells containing high densities of free carriers 263 (1992) 646

Magnetic measurements

A.J. Turberfield, S.R. Haynes, P.A. Wright, R.A. Ford, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Optical spectroscopy of correlated phases of degenerate two-dimensional electrons 263 (1992) 1
B.B. Goldberg, D. Heiman, A. Pinczuk, L.N. Pfeiffer and K.W. West, Magneto-optics in the integer and fractional quantum Hall and electron solid regimes 263 (1992) 9
H.W. Jiang, H.L. Stormer, D.C. Tsui, L.N. Pfeiffer and K.W. West, Transport measurements on the electronic phases around $\nu = 1/5$ Landau level filling 263 (1992) 18
F.I.B. Williams, G. Deville, D.C. Glattli, P.A. Wright, E.Y. Andrei, R.G. Clark, B. Etienne, C.T. Foxon and J.J. Harris, Wigner solid in random field: rigidity, pinning frequency and conduction threshold 263 (1992) 23
I.V. Kukushkin, N.J. Pulsford, K. von Klitzing, K. Ploog and V.B. Timofeev, Magnetooptics of the incompressible Fermi liquid and of the Wigner solid 263 (1992) 30
M. Hayne, M.K. Ellis, A.S. Plaut, A. Usher and K. Ploog, Temperature dependence of the luminescence from a two-dimensional electron system in the Wigner solid regime 263 (1992) 39
M. D'Iorio, J.W. Campbell, V.M. Pudalov and S.G. Semenchinsky, Transport properties of a 2D electron solid in Si-MOSFETs 263 (1992) 49
S.V. Kravchenko, J.A.A.J. Perenboom and V.M. Pudalov, Evidence for two-dimensional electron solid in Si inversion layers 263 (1992) 55
H.A. Fertig and S. Das Sarma, Behavior of electrons at soft edges in the fractional quantum Hall and Wigner crystal states 263 (1992) 60
S.W. Hwang, J.A. Simmons, D.C. Tsui and M. Shayegan, Quasiparticle charge of 1/3 FQH liquid from resistance fluctuation measurements 263 (1992) 72
J.I. Lee, P.J. Stiles and M. Heiblum, Capacitively-coupled measurements on the frequency dependent diagonal magnetoconductance of a 2DEG in GaAs heterostructure in the quantum Hall regime 263 (1992) 120
P. Matthews, M.J. Kelly, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, Interactions between hot injected electrons and the cold electrons in the two-dimensional electron gas base of a vertical hot electron transistor 263 (1992) 141
A. Ohata and A. Toriumi, Magneto-transport study in restricted MOS inversion layers 263 (1992) 157
H. Shao, H. Zheng and Y. Li, A new method for measuring the effective diffusion constant of two-dimensional electrons in the presence of magnetic fields 263 (1992) 167
F.F. Fang, P.J. Wang, B.S. Meyerson, J.J. Nocera and K.E. Ismail, Two-dimensional hole gas in Si/SiGe heterostructures 263 (1992) 175
T.M. Fromhold, P.N. Butcher, G. Qin, B.G. Mulimani, J.P. Oxley and B.L. Gallagher, 180 Å phase shift of phonon drag magnetothermopower oscillations in high mobility 2DEGs 263 (1992) 183
R. Côté and A.H. MacDonald, Frequency-dependent conductivity of a pinned Wigner crystal 263 (1992) 187
M. Ikegami and Y. Nagaoka, Electron motion on a curved interface 263 (1992) 193

L. Eaves, R.K. Hayden, M.L. Leadbeater, D.K. Maude, E.C. Valadares, M. Henini, F.W. Sheard, O.H. Hughes, J.C. Portal and L. Cury, Resonant magnetotunneling spectroscopy: a direct probe of the complicated dispersion curves and negative mass behaviour of holes confined in a quantum well 263 (1992) 199
T. Takamasu, N. Miura, K. Taira, K. Funato and H. Kawai, Quantum transport phenomena in InAs/GaSb/InAs tunneling devices under high magnetic fields 263 (1992) 217
R. Winkler, U. Kunze and U. Rössler, Tunneling spectroscopy of a 2DEG in InAs: experiment and theory 263 (1992) 222
R.P. Taylor, A.S. Sachrajda, J.A. Adams, P. Zawadzki, P.T. Coleridge and M. Davies, Classical and quantum transmission effects in submicron-size dots 263 (1992) 247
S. Tarucha, Y.K. Fukai, Y. Hirayama and T. Saku, Ballistic electron propagation in macroscopic four-terminal structures and its gate controlled transmission and reflection 263 (1992) 253
J. Wróbel, F. Kuchar, K.E. Ismail, K.Y. Lee, H. Nickel and W. Schlapp, Quantized conductance of a quasi-ballistic one-dimensional wire 263 (1992) 261
S. Yamada, M. Yamamoto and K. Aihara, Quantum oscillations of transverse resistance in series and single point-contact configurations 263 (1992) 265
H. Nii, M. Ohsawa, S. Komiyama, S. Fukatsu, Y. Shiraki, R. Itoh and H. Toyoshima, Geometry-dependent resistances of two-dimensional electron gas at high magnetic fields 263 (1992) 275
G. Müller, E. Diessel, D. Weiss, K. von Klitzing, K. Ploog, H. Nickel, W. Schlapp and R. Lösch, Influence of interedge channel scattering on the magneto-transport of 2D-systems 263 (1992) 280
P.C. van Son, S.L. Wang and T.M. Klapwijk, Spin dependence of inter-edge-channel scattering in Si-MOSFETs in the quantum Hall regime 263 (1992) 284
G. Hein, P. Schneider, L. Schweitzer, F.J. Ahlers, L. Bliek, H. Nickel, R. Lösch and W. Schlapp, Influence of a constriction on the longitudinal resistance of a 2DEG: effects of electrical fields and edge states 263 (1992) 293
A.K. Geim(Heym), P.C. Main, P.H. Beton, P. Středa, L. Eaves, C.D.W. Wilkinson and S.P. Beaumont, Non-local magnetoresistance at the crossover between the classical and quantum transport regimes 263 (1992) 298
K. Oto, S. Takaoka, K. Murase, S. Suyama and T. Serikawa, Nonlocal Shubnikov–de Haas effect in Si-MOSFETs 263 (1992) 303
A. Lorke, Static and dynamic conductivity of lateral superlattices 263 (1992) 307
D. Weiss, A. Menschig, K. von Klitzing and G. Weimann, Magnetoresistance in a grid-type lateral superlattice: the role of disorder 263 (1992) 314
K. Ensslin, S. Sasa, T. Deruelle and P.M. Petroff, Anisotropic electron transport through a rectangular antidot lattice 263 (1992) 319
R.R. Gerhardts and D. Pfannkuche, Magnetoresistance oscillations of a 2DEG in a weak lateral superlattice: manifestation of "Hofstadter's butterfly" 263 (1992) 324
A.S. Plaut, H. Lage, P. Grambow, D. Heitmann, K. von Klitzing and K. Ploog, Direct magneto-optical observation of a quantum confined one-dimensional electron gas 263 (1992) 341
S. Katayama, Far-infrared transmission spectra of laterally confined 2D plasma in quantum wires: influence of a magnetic field 263 (1992) 359
R.J. Haug, H. Munekata and L.L. Chang, One-dimensional electron transport on the surface channel of InAs quantum wells 263 (1992) 374
K. Ishibashi, Y. Aoyagi, S. Namba, Y. Ochiai, J.P. Bird and M. Kawabe, Conductance fluctuations in a narrow GaAs/AlGaAs split gate wire 263 (1992) 378
Y. Ochiai, T. Onishi, J.P. Bird, M. Kawabe, K. Ishibashi, Y. Aoyagi and S. Namba, Size effect in the low temperature magnetoresistance of narrow GaAs/AlGaAs wires 263 (1992) 388

K. Tsubaki, T. Honda and Y. Tokura, Aharonov–Bohm effect under high magnetic field in a Corbino disk anti-dot channel 263 (1992) 392
C. Tejedor and J.J. Palacios, Scattering and Coulomb blockade in magnetotunneling across singly and multiply connected barriers in quasi-two-dimensional systems 263 (1992) 424
K. Karraï, X. Ying, H.D. Drew, M.B. Santos, M. Shayegan, S.-R.E. Yang and A.H. MacDonald, Magneto-rotons in wide parabolic quantum wells 263 (1992) 451
L.V. Butov, V.D. Kulakovskii, T.G. Andersson, A. Forchel and D. Grützmacher, Many-body effects in dense electron–hole plasma in InGaAs QWs with simple and complex valence band 263 (1992) 457
G.E.W. Bauer, Magnetic-field-induced excitonic instability in the 2D electron gas 263 (1992) 482
D.R. Yakovlev, I.N. Uraltsev, W. Ossau, G. Landwehr, R.N. Bicknell-Tassius, A. Waag and S. Schmeusser, Two-dimensional exciton magnetic polaron in semimagnetic quantum wells 263 (1992) 485
Y. Guldner, J. Manassès, J.P. Vieren, M. Voos and J.P. Faurie, Temperature dependent electronic properties of HgZnTe/CdTe superlattices 263 (1992) 541
Y.J. Wang, B.D. McCombe and W. Schaff, Magnetic field induced metal–insulator transitions in modulation-doped multiple-quantum-well structures 263 (1992) 547
D.M. Whittaker, T.A. Fisher, P.E. Simmonds, M.S. Skolnick, R.S. Smith, L.L. Taylor and S.J. Bass, Magnetic field induced indirect gap in a modulation doped quantum well 263 (1992) 549
S. Huant, A. Mandray, G. Martinez, M. Grynberg and B. Etienne, Electronic properties of two-dimensional D^- centres 263 (1992) 565
E. Deleporte, G. Peter, J.M. Berroir, C. Delalande, J.M. Hong and L.L. Chang, Temperature dependence of the magneto-optical properties of a $CdTe/Cd_{1-x}Mn_xTe$ multiquantum well structure 263 (1992) 570
M. Potemski, Y.H. Zhang, M. Hausenblas, J.C. Maan, G. Martinez and K. Ploog, Filling factor dependent Landau level broadening studied with inter- and intraband magneto-optics in GaInAs/AlInAs MDQWs 263 (1992) 591
M.J. Yang, W.J. Moore, R.J. Wagner, J.R. Waterman, C.H. Yang, P.E. Thompson and J.L. Davis, Properties of 2D electrons and associated bound donors in delta-doped InSb 263 (1992) 595
S. Sasaki and N. Miura, Magneto-optical investigation of energy band structure in $GaAs/Al_xGa_{1-x}As$ short period superlattices under pulsed high magnetic fields 263 (1992) 600
S.R. Haynes, R.A. Ford, A.J. Turberfield, P.A. Wright, R.G. Clark, J.F. Ryan, J.J. Harris and C.T. Foxon, Luminescence from the degenerate two-dimensional electrons at an ultrahigh mobility heterojunction 263 (1992) 614
M. Dahl, D. Heiman, A. Pinczuk, B.B. Goldberg, L.N. Pfeiffer and K.W. West, Time-resolved optical recombination in the quantum Hall regime 263 (1992) 638
P.E. Simmonds, M.S. Skolnick, T.A. Fisher, K.J. Nash and R.S. Smith, Many body resonant polaron interaction in quantum wells containing high densities of free carriers 263 (1992) 646
A.P. Dmitriev, S.A. Emelyanov, S.V. Ivanov, P.S. Kop'ev, Ya.V. Terent'ev and I.D. Yaroshetsky, Photon-drag current in 2DEG in the vicinity of cyclotron resonance and its first subharmonic 263 (1992) 659
P.W. Adams, The conductivity and mobility of 2D nondegenerate electrons in the strong localization regime 263 (1992) 663
Yu.P. Monarkha, Low-temperature features of quantum magnetoconductance of a two-dimensional electron gas on a liquid helium surface 263 (1992) 668
M.J. Lea, A.O. Stone, P. Fozooni, P.J.M. Peters, A.M.L. Janssen and R.W. van der Heijden, A new low frequency propagating mode in a 2DEG in a magnetic field 263 (1992) 677

Molybdenum
Y. Ono, Effect of probes in 2D electron systems with finite width subject to strong magnetic fields 263 (1992) 129

Noble gases
U. Klass, W. Dietsche, K. von Klitzing and K. Ploog, Image of the dissipation in gated quantum Hall effect samples 263 (1992) 97
P.W. Adams, The conductivity and mobility of 2D nondegenerate electrons in the strong localization regime 263 (1992) 663
Yu.P. Monarkha, Low-temperature features of quantum magnetoconductance of a two-dimensional electron gas on a liquid helium surface 263 (1992) 668
T. Kawaguchi, T. Ohtsuki and M. Saitoh, Two-ripplon processes of electrons on the liquid ^{4}He surface 263 (1992) 671
B. Lehndorff, C. Vossloh, T. Günzler and K. Dransfeld, Temperature dependent microwave absorption of electrons on helium films 263 (1992) 674
M.J. Lea, A.O. Stone, P. Fozooni, P.J.M. Peters, A.M.L. Janssen and R.W. van der Heijden, A new low frequency propagating mode in a 2DEG in a magnetic field 263 (1992) 677

Photoconductivity
J. Wróbel, F. Kuchar, K.E. Ismail, K.Y. Lee, H. Nickel and W. Schlapp, Quantized conductance of a quasi-ballistic one-dimensional wire 263 (1992) 261
G. Müller, E. Diessel, D. Weiss, K. von Klitzing, K. Ploog, H. Nickel, W. Schlapp and R. Lösch, Influence of interedge channel scattering on the magneto-transport of 2D-systems 263 (1992) 280
A.P. Dmitriev, S.A. Emelyanov, S.V. Ivanov, P.S. Kop'ev, Ya.V. Terent'ev and I.D. Yaroshetsky, Photon-drag current in 2DEG in the vicinity of cyclotron resonance and its first subharmonic 263 (1992) 659

Piezoelectric effect
M. Lakrimi, C. López, R.W. Martin, G.M. Summers, G.M. Sundaram, K.S.H. Dalton, N.J. Mason, R.J. Nicholas and P.J. Walker, Piezoelectric control of doping and band structure in the crossed gap system GaSb/InAs 263 (1992) 575
U. Ekenberg and D. Richards, Utilization of a piezoelectric field in a one-sided-doped quantum well 263 (1992) 580
T. Uenoyama and L.J. Sham, Effect of hole relaxation and uniaxial stress on luminescence polarization in quantum wells 263 (1992) 618

Quantum effects
A. Kumar, Self-consistent calculations on confined electrons in three-dimensional geometries 263 (1992) 335

Raman scattering
B. Jusserand, D. Richards, B. Etienne, H. Peric and G. Fasol, Electronic Raman scattering on highly doped single quantum wells 263 (1992) 527
H. Schneider, J. Wagner, K. Ploog and K. Fujiwara, Multiply resonant Raman scattering in Stark ladder superlattices 263 (1992) 531
B. Monemar, P.O. Holtz, P. Bergman, C.I. Harris, H. Kalt, M. Sundaram, J.L. Merz and A.C. Gossard, Effects of localization on optical spectra for shallow acceptors in center-doped GaAs/AlGaAs multiple quantum wells 263 (1992) 556

F. Bechstedt and H. Gerecke, Resonant decay of pair excitations of a 2D hole gas into optical phonons 263 (1992) 585

Selenium

P. Basmaji, A.C. Notari, B. Schrappe, M.H. Degani, L. Ioriatti and O. Hipólito, Tunneling spectroscopy and miniband structure of selenium delta-doped GaAs 263 (1992) 231

Semiconductors

T. Ogawa and T. Takagahara, Excitonic absorption spectra and Sommerfeld factors of one-dimensional systems 263 (1992) 506

Silicon

M. D'Iorio, J.W. Campbell, V.M. Pudalov and S.G. Semenchinsky, Transport properties of a 2D electron solid in Si-MOSFETs 263 (1992) 49

S.V. Kravchenko, J.A.A.J. Perenboom and V.M. Pudalov, Evidence for two-dimensional electron solid in Si inversion layers 263 (1992) 55

J. Wakabayashi, Hall effect and localization in the Landau subbands of Si inversion layers 263 (1992) 100

A. Hartland, K. Jones, J.M. Williams, T. Galloway, B.L. Gallagher, C.R.H. White and M. Henini, A direct comparison of the quantized Hall resistance in high critical current gallium arsenide and silicon devices 263 (1992) 112

C.T. Van Degrift, K. Yoshihiro, M.E. Cage, D. Yu, K. Segawa, J. Kinoshita and T. Endo, Anomalously offset quantized Hall plateaus in high-mobility Si-MOSFETs 263 (1992) 116

A. Ohata and A. Toriumi, Magneto-transport study in restricted MOS inversion layers 263 (1992) 157

A. Hartstein, Conductance in ultra-short channel Si MOSFETs 263 (1992) 162

F.F. Fang, P.J. Wang, B.S. Meyerson, J.J. Nocera and K.E. Ismail, Two-dimensional hole gas in Si/SiGe heterostructures 263 (1992) 175

P.C. van Son, S.L. Wang and T.M. Klapwijk, Spin dependence of inter-edge-channel scattering in Si-MOSFETs in the quantum Hall regime 263 (1992) 284

K. Oto, S. Takaoka, K. Murase, S. Suyama and T. Serikawa, Nonlocal Shubnikov–de Haas effect in Si-MOSFETs 263 (1992) 303

C. de Graaf, J.W.G. Wildöer, J. Caro, S. Radelaar and K. Heyers, Variable range hopping via a small number of localized states in nanometer scale MOSFETs 263 (1992) 409

J. Wagner, P. Ganser, K. Köhler, A. Fischer and K. Ploog, Fermi edge singularity and screening effects in the luminescence spectra of Si or Be δ-doped GaAs 263 (1992) 628

Superlattices

P. Matthews, M.J. Kelly, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie and G.A.C. Jones, Interactions between hot injected electrons and the cold electrons in the two-dimensional electron gas base of a vertical hot electron transistor 263 (1992) 141

X.L. Lei, N.J.M. Horing and H.L. Cui, Superlattice Bloch electron conduction and negative differential mobility 263 (1992) 172

M.H. Degani and J.P. Leburton, A transport model for a two-dimensional lateral-surface-superlattice 263 (1992) 179

L. Eaves, R.K. Hayden, M.L. Leadbeater, D.K. Maude, E.C. Valadares, M. Henini, F.W. Sheard, O.H. Hughes, J.C. Portal and L. Cury, Resonant magnetotunneling spectroscopy: a direct probe of the complicated dispersion curves and negative mass behaviour of holes confined in a quantum well 263 (1992) 199

A. Lorke, Static and dynamic conductivity of lateral superlattices 263 (1992) 307
D. Weiss, A. Menschig, K. von Klitzing and G. Weimann, Magnetoresistance in a grid-type lateral superlattice: the role of disorder 263 (1992) 314
R.R. Gerhardts and D. Pfannkuche, Magnetoresistance oscillations of a 2DEG in a weak lateral superlattice: manifestation of "Hofstadter's butterfly" 263 (1992) 324
R.J. Haug, J.M. Hong and K.Y. Lee, Electron transport through one quantum dot and through a string of quantum dots 263 (1992) 415
M. Helm, F.M. Peeters, F. DeRosa, E. Colas, J.P. Harbison and L.T. Florez, Infrared spectroscopy of subbands, minibands, and donors in GaAs/AlGaAs superlattices 263 (1992) 518
H. Schneider, J. Wagner, K. Ploog and K. Fujiwara, Multiply resonant Raman scattering in Stark ladder superlattices 263 (1992) 531
Y. Guldner, J. Manassès, J.P. Vieren, M. Voos and J.P. Faurie, Temperature dependent electronic properties of HgZnTe/CdTe superlattices 263 (1992) 541
J. Nunnenkamp, K. Reimann, J. Kuhl and K. Ploog, Kinetics of pressure induced Γ–χ electron transfer in a type-I superlattice 263 (1992) 553
S. Huant, A. Mandray, G. Martinez, M. Grynberg and B. Etienne, Electronic properties of two-dimensional D^- centres 263 (1992) 565
E. Deleporte, G. Peter, J.M. Berroir, C. Delalande, J.M. Hong and L.L. Chang, Temperature dependence of the magneto-optical properties of a CdTe/$Cd_{1-x}Mn_xTe$ multiquantum well structure 263 (1992) 570
S. Sasaki and N. Miura, Magneto-optical investigation of energy band structure in GaAs/$Al_xGa_{1-x}As$ short period superlattices under pulsed high magnetic fields 263 (1992) 600
K. Hirose and H. Kamimura, The electronic structures of a GaAs/AlAs Fibonacci superlattice 263 (1992) 609
W.E. Leitch, C.M. Sotomayor Torres, D. Lootens, S. Thoms, P. van Daele, C.R. Stanley, P. Demeester and S.P. Beaumont, Luminescence studies from wires of varying aspect ratio in GaAs/GaAlAs quantum wells 263 (1992) 622

Surface phonons and adsorbate vibrations

A. Nogaret and J.C. Portal, Calculated contribution of localised LO phonon modes to the valley current of a double-barrier diode 263 (1992) 234
Y. Okuyama, T. Sakuma and N. Tokuda, Quantized thermoelectric power in the ballistic transport regime 263 (1992) 258
F.M. Peeters, X.-G. Wu, J.T. Devreese, M. Watts, R.J. Nicholas, D.F. Howell, L. van Bockstal, F. Herlach, C.J.G.M. Langerak, J. Singleton and A. Chevy, Resonant magnetopolaron coupling to both polar and neutral optical phonons in the layer compound InSe 263 (1992) 654

Surface plasmons

S. Nazin, K. Tevosyan and V. Shikin, Plasma oscillations in quasi-classical dots 263 (1992) 351
L. Wendler, R. Haupt and R. Pechstedt, Many-particle effects in quantum well wires: plasmon–phonon coupling and depolarization effects 263 (1992) 363
I. Grodnensky, D. Heitmann and K. von Klitzing, Single-particle and many-body effects in the edge magnetoplasma excitations of a two-dimensional electron system 263 (1992) 467
R.J. Wilkinson, C.D. Ager and H.P. Hughes, Plasmon excitation by dual optical couplers 263 (1992) 475
A.B. Dzyubenko and Y.E. Lozovik, Effect of quenched disorder on a two-dimensional classical Wigner crystal 263 (1992) 680

Tunneling
L. Eaves, R.K. Hayden, M.L. Leadbeater, D.K. Maude, E.C. Valadares, M. Henini, F.W. Sheard, O.H. Hughes, J.C. Portal and L. Cury, Resonant magnetotunneling spectroscopy: a direct probe of the complicated dispersion curves and negative mass behaviour of holes confined in a quantum well 263 (1992) 199
J. Smoliner, W. Demmerle, F. Hirler, E. Gornik, G. Böhm and G. Weimann, Tunneling processes between quantum wires and two-dimensional electron states 263 (1992) 207
T. Takamasu, N. Miura, K. Taira, K. Funato and H. Kawai, Quantum transport phenomena in InAs/GaSb/InAs tunneling devices under high magnetic fields 263 (1992) 217
R. Winkler, U. Kunze and U. Rössler, Tunneling spectroscopy of a 2DEG in InAs: experiment and theory 263 (1992) 222
V.A. Chitta, R.E.M. de Bekker, J.C. Maan, S.J. Hawksworth, J.M. Chamberlain, M. Henini and G. Hill, Far infrared response of double barrier resonant tunneling structures 263 (1992) 227
P. Basmaji, A.C. Notari, B. Schrappe, M.H. Degani, L. Ioriatti and O. Hipólito, Tunneling spectroscopy and miniband structure of selenium delta-doped GaAs 263 (1992) 231
L.J. Geerligs, The frequency-locked turnstile device for single electrons 263 (1992) 396
L.P. Kouwenhoven, A.T. Johnson, N.C. van der Vaart, D.J. Maas, C.J.P.M. Harmans and C.T. Foxon, Quantized current in a quantum dot turnstile 263 (1992) 405
C. Pasquier, D.C. Glattli, U. Meirav, F.I.B. Williams, Y. Bin and B. Etienne, Coulomb blockade of tunneling in a 2D electron gas 263 (1992) 419
C. Tejedor and J.J. Palacios, Scattering and Coulomb blockade in magnetotunneling across singly and multiply connected barriers in quasi-two-dimensional systems 263 (1992) 424
F.M. de Aguiar, D.A. Wharam, T. Heinzel, A. Lorke and J.P. Kotthaus, Gate-controlled conductance oscillations in small one-dimensional electron cavities 263 (1992) 428
M.P. Stopa, Charging energy and collective response of a quantum dot resonant tunneling device 263 (1992) 433
M.W. Dellow, C.J.G.M. Langerak, P.H. Beton, T.J. Foster, P.C. Main, L. Eaves, M. Henini, S.P. Beaumont and C.D.W. Wilkinson, Single electron tunnelling through a donor state in a gated resonant tunnelling device 263 (1992) 438
H. van Houten, Coulomb blockade oscillations in semiconductor nanostructures 263 (1992) 442